

## 2019

- [524] S. Liu, M.-A. Légaré, A. Hofmann, A. Rempel, S. Hagspiel, H. Braunschweig  
Synthesis of Unsymmetrical B<sub>2</sub>E<sub>2</sub> and B<sub>2</sub>E<sub>3</sub> Heterocycles by Borylene Insertion into Boradichalcogeniranes  
submitted.
- [523] J. H. Muessig, T. E. Stennett, U. Schmidt, R. D. Dewhurst, L. Mailänder, H. Braunschweig  
Oxidative Addition of Arsenic Halides to Platinum(0)  
*Dalton* **2019**, 48, accepted.
- [522] W. C. Ewing, T. Dellermann, Y. T. A. Wong, J. D. Mattock, A. Vargas, D. L. Bryce, H. Braunschweig  
Metal-free  $\pi$ -Complexes Between Diborynes and Main Group Atoms  
submitted.
- [521] J. H. Muessig, M. Thaler, R. D. Dewhurst, V. Paprocki, J. Seufert, J. D. Mattock, A. Vargas, H. Braunschweig  
Phosphine-Stabilized Diiododiborenes: Isolable Diborenes with Six Labile Bonds  
*Angew. Chem.* **2019**, 131, submitted; *Angew. Chem. Int. Ed.* **2019**, 58, accepted.
- [520] T. E. Stennett, P. Bissinger, S. Griesbeck, S. Ullrich, I. Krummenacher, M. Auth, A. Sperlich, M. Stolte, K. Radacki, C.-J. Yao, F. Würthner, A. Steffen, T. B. Marder, H. Braunschweig  
Near-infrared quadrupolar chromophores combining three-coordinate boron-based superdonor and -acceptor units  
submitted.
- [519] T. Brückner, R. D. Dewhurst, T. Dellermann, M. Müller, H. Braunschweig  
Synthesis of Air- and Water-Stable Diborenes by Diboration of B-B Triple Bonds  
submitted.
- [518] A. Hofmann, C. Pranckevicius, T. Tröster, H. Braunschweig  
Aluminum(I)/Boron(III) Redox Reactions  
*Angew. Chem.* **2019**, 131, submitted; *Angew. Chem. Int. Ed.* **2019**, 58, accepted.
- [517] A. Deissenberger, E. Welz, R. Drescher, I. Krummenacher, R. D. Dewhurst, B. Engels, H. Braunschweig  
A New Class of Neutral Boron-Based Diradicals Spanned by a Two-Carbon Bridge  
*Angew. Chem.* **2019**, 131, 1857–1861; *Angew. Chem. Int. Ed.* **2019**, 58, 1842–1846.
- [516] A. Hofmann, T. Tröster, T. Kupfer, H. Braunschweig  
Monomeric Cp<sup>3</sup>Al(I): Synthesis, reactivity, and the concept of valence isomerism  
*Chem. Sci.* **2019**, 10, accepted.
- [515] J. K. Schuster, D. K. Roy, C. Lenczyk, J. Mies, H. Braunschweig  
New Outcomes of Beryllium Chemistry: Lewis Base Adducts for Salt Elimination Reactions  
*Inorg. Chem.*, **2019**, 58, accepted.
- [514] M.-A. Légaré, M. Rang, G. Bélanger-Chabot, J. I. Schweizer, I. Krummenacher, M. Arrowsmith, M. C. Holthausen, H. Braunschweig  
N<sub>2</sub> Catenation under Near-Ambient Conditions  
submitted.
- [513] M. Meier, L. Ji, J. Nitsch, I. Krummenacher, A. Deißenberg, D. Auerhammer, M. Schäfer, T. B. Marder, H. Braunschweig  
Preparation and Characterization of a  $\pi$ -Conjugated Donor-Acceptor System Containing the Strongly Electron-Accepting Tetraphenylborolyl Unit  
*Chem. Eur. J.* **2019**, 25, accepted.
- [512] J. T. Goettel, H. Braunschweig  
Recent Advances in Boron-Centered Ligands and Their Transition Metal Complexes  
*Coord. Chem. Rev.* **2019**, 184–200.
- [511] F. Lindl, S. Lin, I. Krummenacher, C. Lenczyk, A. Stoy, M. Müller, Z. Lin, H. Braunschweig  
1,2,3-Diazaborinine: A BN Analog of Pyridine Obtained by Ring Expansion of a Borole with an Organic Azide  
*Angew. Chem.* **2019**, 131, 344–348; *Angew. Chem. Int. Ed.* **2019**, 58, 338–342.

- [510] M.-A. Légaré, C. Pranckevicius, H. Braunschweig  
The Metallomimetic Chemistry of Boron  
*Chem. Rev.* **2018**, *118*, accepted.
- [509] Q. Zhao, R. D. Dewhurst, H. Braunschweig, X. Chen  
A New Perspective on Borane Chemistry: the Nucleophilicity of the Bonding Pair Electrons of the B-H Bond  
*Angew. Chem.* **2018**, *130*, accepted; *Angew. Chem. Int. Ed.* **2018**, *57*, accepted.

## 2018

- [508] Y.-M. Tian, X.-N. Guo, M. Kuntze-Fechner, I. Krummenacher, H. Braunschweig, U. Radius, A. Steffen, T. B. Marder  
Selective Photocatalytic C-F Borylation of Polyfluoroarenes by Rh/Ni Dual Catalysis Providing Valuable Fluorinated Arylboronate Esters  
*J. Am. Chem. Soc.* **2018**, *140*, 17612–17623.
- [507] M. Arrowsmith, J. D. Mattock, I. Krummenacher, A. Vargas, H. Braunschweig  
Facile Synthesis of a Stable Dihydroboryl {BH<sub>2</sub>}<sup>-</sup> Anion  
*Angew. Chem.* **2018**, *130*, 15493–15497 (VIP); *Angew. Chem. Int. Ed.* **2018**, *57*, 15272–15275 (VIP).
- [506] T. E. Stennett, R. Bertermann, H. Braunschweig  
Construction of Linear and Branched Tetraboranes via 1,1- and 1,2-Diboration of Diborenes  
*Angew. Chem.* **2018**, *130*, 16123–16128; *Angew. Chem. Int. Ed.* **2018**, *57*, 15896–15901.
- [505] T. E. Stennett, J. D. Mattock, L. Pentecost, A. Vargas, H. Braunschweig  
Chelated Diborenes and their Inverse-Electron-Demand Diels-Alder Reactions with Dienes  
*Angew. Chem.* **2018**, *130*, 15493–15497 (VIP); *Angew. Chem. Int. Ed.* **2018**, *57*, 15276–15281 (VIP).
- [504] J. H. Muessig, D. Prieschl, A. Deißberger, R. D. Dewhurst, M. Dietz, J. O. C. Jiménez-Halla, A. Trumpp, S. R. Wang, C. Brunecker, A. Haefner, A. Gärtner, T. Thiess, J. Böhnke, K. Radacki, R. Bertermann, T. B. Marder, H. Braunschweig  
Reactivity of Tetrahalo- and Difluorodiboranes(4) toward Lewis-Basic Platinum(0): Bis(boryl), Borylborato and Doubly Boryl-Bridged Platinum Complexes  
*J. Am. Chem. Soc.* **2018**, *140*, 13056–13063.
- [503] S. Liu, M. Légaré, A. Hofmann, H. Braunschweig  
A Boradiselenirane and a Boraditellurirane: Isolable Heavy Analogs of Dioxiranes and Dithiiranes  
*J. Am. Chem. Soc.* **2018**, *140*, 11223–11226.
- [502] E. Welz, J. Böhnke, R. D. Dewhurst, H. Braunschweig, B. Engels  
Unravelling the Dramatic Electrostructural Differences Between N-Heterocyclic Carbene- and Cyclic (Alkyl)(amino)carbene -Stabilized Low-Valent Main Group Species  
*J. Am. Chem. Soc.* **2018**, *140*, 12580–12591.
- [501] H. Kelch, S. Kachel, J. Wahler, M. A. Celik, A. Stoy, I. Krummenacher, T. Kramer, K. Radacki, H. Braunschweig  
Borabicyclo[3.2.0]heptadiene: A Fused Bicyclic Isomer of Borepin  
*Chem. Eur. J.* **2018**, *24*, 15387–15391.
- [500] J. Böhnke, M. Arrowsmith, H. Braunschweig  
Reactivity Enhancement of a Zerovalent Diboron Compound by Desymmetrization  
*J. Am. Chem. Soc.* **2018**, *140*, 10368–10373.
- [499] L. Winner, G. Bélanger-Chabot, M. A. Celik, M. Schäfer, H. Braunschweig  
Intriguing migrations in transient iminoborane adducts: two new pathways to aminoboranes  
*Chem. Commun.* **2018**, *54*, 9349–9351.
- [498] L. Winner, W. C. Ewing, K. Geetharani, T. Dellermann, B. Jouppi, T. Kupfer, M. Schäfer, H. Braunschweig  
Spontaneous Metal-Free Transfer Hydrogenation of Iminoborane with Ammonia Borane and Amine Boranes  
*Angew. Chem.* **2018**, *130*, 12455–12459; *Angew. Chem. Int. Ed.* **2018**, *57*, 12275–12279.

- [497] C. Pranckevicius, J. O. C. Jimenez-Halla, M. Kirsch, I. Krummenacher, H. Braunschweig  
Complexation and Release of N-Heterocyclic Carbene-Aminoborylene Ligands from Group VI and VIII Metals  
*J. Am. Chem. Soc.* **2018**, *140*, 10524–10529.
- [496] H. Reiss, L. Ji, J. Han, S. Koser, O. Tverskoy, I. Bravić, F. Rominger, J. Freudenberg, M. Moos, A. Friedrich, I. Krummenacher, C. Lambert, H. Braunschweig, F. Hinkel, A. Dreuw, T. B. Marder, U. H. F. Bunz  
Bromination Improves the Electron Mobility of Tetraazapentacene  
*Angew. Chem.* **2018**, *130*, 9688–9692; *Angew. Chem. Int. Ed.* **2018**, *57*, 9543–9547.
- [495] A. Hermann, J. Cid, J. D. Mattock, R. D. Dewhurst, I. Krummenacher, A. Vargas, M. J. Ingleson, H. Braunschweig  
Diboryldiborenes:  $\pi$ -Conjugated B<sub>4</sub> Chains Isoelectronic to the Butadiene Dication  
*Angew. Chem.* **2018**, *130*, 10248–10252; *Angew. Chem. Int. Ed.* **2018**, *57*, 10091–10095.
- [494] J. Cid, A. Hermann, J. E. Radcliffe, L. D. Curless, H. Braunschweig, M. J. Ingleson  
The Synthesis of Unsymmetrical Diboron(5) Compounds and their Conversion to Diboron(5) Cations  
*Organometallics* **2018**, *37*, 1992–1998.
- [493] D. K. Roy, I. Krummenacher, T. Stennett, C. Lenczyk, T. Thiess, H. Braunschweig  
Selective one- and two-electron reductions of a haloborane enabled by a  $\pi$ -withdrawing carbene ligand  
*Chem. Commun.* **2018**, *54*, 9015–9018.
- [492] K. Meyer, H. Braunschweig  
Organometallic Chemistry in Europe  
*Organometallics* **2018**, *37*, 625–627.
- [491] A. Hofmann, A. Lamprecht, J. O. C. Jiménez-Halla, T. Tröster, R. D. Dewhurst, C. Lenczyka, H. Braunschweig  
Lewis-Base-Induced Disproportionation of a Dialane  
*Chem. Eur. J.* **2018**, *24*, 11795–11802.
- [490] J. Seufert, E. Welz, I. Krummenacher, V. Paprocki, J. Böhnke, S. Hagspiel, R. D. Dewhurst, R. Tacke, B. Engels, H. Braunschweig  
Isolation and Characterization of Crystalline, Neutral Diborane(4) Radicals  
*Angew. Chem.* **2018**, *130*, 10912–10915; *Angew. Chem. Int. Ed.* **2018**, *57*, 10752–10755.
- [489] J. K. Schuster, J. H. Muessig, R. D. Dewhurst, H. Braunschweig  
Reactions of Digallanes with p- and d-Block Lewis Bases: Adducts, Bis(gallyl) Complexes and Naked Ga<sup>+</sup> as Ligand  
*Chem. Eur. J.* **2018**, *24*, 9692–9697.
- [488] L. Winner, A. Hermann, G. Bélanger-Chabot, O.F. González-Belman, J. O. C. Jiménez-Halla, H. Braunschweig  
Cleavage of BN triple bonds by main group reagents  
*Chem. Commun.* **2018**, *54*, 8210–8213.
- [487] J. Böhnke, T. Brückner, A. Hermann, O. F. González-Belman, M. Arrowsmith, J. O. C. Jiménez-Halla, H. Braunschweig  
Single and double activation of acetone by isolobal B $\equiv$ N and B $\equiv$ B triple bonds  
*Chem. Sci.* **2018**, *9*, 5354–5359.
- [486] Z. Wang, Y. Zhou, J. Zhang, I. Krummenacher, H. Braunschweig, Z. Lin  
DFT Studies on the Reactions of Boroles with Alkynes  
*Chem. Eur. J.* **2018**, *24*, 9612–9621.
- [485] M. Arrowsmith, J. D. Mattock, J. Böhnke, I. Krummenacher, A. Vargas, H. Braunschweig  
Direct access to a cAAC-supported dihydrodiborene and its dianion  
*Chem. Commun.* **2018**, *54*, 4669–4672.
- [484] A. Stoy, J. Böhnke, J. O. C. Jiménez-Halla, R. D. Dewhurst, T. Thiess, H. Braunschweig  
CO<sub>2</sub> Binding and Splitting by Boron–Boron Multiple Bonds  
*Angew. Chem.* **2018**, *130*, 6055–6059; *Angew. Chem. Int. Ed.* **2018**, *57*, 5947–5951.
- [483] M. Nutz, B. Borthakur, C. Pranckevicius, R. D. Dewhurst, M. Schäfer, T. Dellermann, F. Glaab, M. Thaler, A. K. Phukan, H. Braunschweig  
Release of Isonitrile- and NHC-Stabilized Borylenes from Group VI Terminal Borylene Complexes  
*Chem. Eur. J.* **2018**, *24*, 6843–6847.

- [482] S. R. Wang, D. Prieschl, J. D. Mattock, M. Arrowsmith, C. Pranckevicius, T. E. Stennett, R. D. Dewhurst, A. Vargas, H. Braunschweig  
Bottleable Neutral Analogues of  $[B_2H_5]^-$  as Versatile and Strongly Binding  $\eta^2$  Donor Ligands  
*Angew. Chem.* **2018**, *130*, 6456–6460; *Angew. Chem. Int. Ed.* **2018**, *57*, 6347–6351.
- [481] Z.-F. Jiao, Y.-M. Tian, B. Zhang, C.-H. Hao, Y. Qiao, Y.-X. Wang, Y. Qin, U. Radius, H. Braunschweig, T. B. Marder, X.-N. Guo, X.-Y. Guo  
High Photocatalytic Activity of a NiO Nanodot-decorated Pd/SiC Catalyst for the Suzuki-Miyaura Cross-coupling of Aryl Bromides and Chlorides in Air  
submitted.
- [480] T. E. Stennett, J. D. Mattock, I. Vollert, A. Vargas, H. Braunschweig  
Unsymmetrical, Cyclic Diborenes and Thermal Rearrangement to a Borylborylene  
*Angew. Chem.* **2018**, *130*, 4162–4167; *Angew. Chem. Int. Ed.* **2018**, *57*, 4098–4102.
- [479] L. Ji, I. Krummenacher, A. Friedrich, A. Lorbach, M. Haehnel, K. Edkins, H. Braunschweig, T. B. Marder  
Synthesis, Photophysical, and Electrochemical Properties of Pyrenes Substituted with Donors or Acceptors at the 4- or 4,9-Positions  
*J. Org. Chem.* **2018**, *83*, 3599–3606.
- [478] H. Braunschweig, R. D. Dewhurst, O. F. González-Belman, A. Hofmann, J. O. C. Jimenez-Halla, S. Kachel, A. Lamprecht  
Dialumination of unsaturated species with a reactive bis(cyclopentadienyl) dialane  
*Chem. Commun.* **2018**, *54*, 1639–1642.
- [477] J. Böhnke, H. Braunschweig, J. O. C. Jiménez-Halla, I. Krummenacher, T. E. Stennett  
Half-Sandwich Complexes of an Extremely Electron-Donating, Redox-Active  $\eta^6$ -Diborabenzene Ligand  
*J. Am. Chem. Soc.* **2018**, *140*, 848–853.
- [476] C. Leroy, J. K. Schuster, T. Schaefer, K. Müller-Buschbaum, H. Braunschweig, D. L. Bryce  
Linear dicoordinate beryllium: a  $^9Be$  solid-state NMR study of a discrete zero-valent s-block beryllium complex  
*Can. J. Chem.* **2018**, *96* 646–652.
- [475] D. Auerhammer, M. Arrowsmith, J. Böhnke, H. Braunschweig, R. D. Dewhurst, T. Kupfer  
Closely related yet different: a borylene and its dimer are non-interconvertible but connected through reactivity  
*Chem. Sci.* **2018**, *9*, 2252–2260.
- [474] R. Rausch, D. Schmidt, D. Bialas, I. Krummenacher, H. Braunschweig, F. Würthner  
Stable Organic (Bi)Radicals by Delocalization of Spin Density into the Electron-Poor Chromophore Core of Isoindigo  
*Chem. Eur. J.* **2018**, *24*, 3420–3424.
- [473] H. Braunschweig, A. Damme, K. Dück, I. Krummenacher, V. Paprocki, K. Radacki, J. Ramler, C. Schneider  
Boryl- and Silyl-Substituted Mixed Sandwich Compounds of Scandium  
*Chem. Eur. J.* **2018**, *24*, 2403–2409.
- [472] M.-A. Légaré, G. Bélanger-Chabot, R. D. Dewhurst, E. Welz, I. Krummenacher, B. Engels, H. Braunschweig,  
Nitrogen fixation and reduction at boron  
*Science* **2018**, *359*, 896–900.
- [471] D. Auerhammer, M. Arrowsmith, P. Bissinger, H. Braunschweig, T. Dellermann, T. Kupfer, C. Lenczyk, D. K. Roy, M. Schäfer, C. Schneider  
Increasing the Reactivity of Diborenes: Derivatization of NHC-Supported Dithienyldiborenes with Electron-Donor Groups  
*Chem. Eur. J.* **2018**, *24*, 266 – 273.
- [470] H. Braunschweig, R. D. Dewhurst, J. O. C. Jimenez-Halla, E. Matito, J. H. Muessig  
Transition Metal  $\pi$ -Ligation of a Tetrahalodiborane  
*Angew. Chem.* **2018**, *130*, 419–423; *Angew. Chem. Int. Ed.* **2018**, *57*, 412–416.
- [469] J. Böhnke, T. Dellermann, M. A. Celik, I. Krummenacher, R. D. Dewhurst, S. Demeshko, W. C. Ewing, K. Hammond, M. Heß, E. Bill, E. Welz, M. Röhr, R. Mitrić, B. Engels, F. Meyer, H. Braunschweig  
Isolation of diborenes and their 90°-twisted diradical congeners  
*Nature Communications*, **2018**, *9*, Article number 1197.

- [468] H. Braunschweig, C. Brunecker, R. D. Dewhurst, C. Schneider  
Does Lewis basicity correlate with catalytic performance in zerovalent group 8 Complexes?  
*Z. Naturforsch.* **2018**, *73*, 149–153.

## 2017

- [467] S. R. Wang, M. Arrowsmith, H. Braunschweig, R. D. Dewhurst, V. Paprockia, L. Winner  
CuOTf-mediated intramolecular diborene hydroarylation  
*Chem. Commun.* **2017**, *53*, 11945–11947.
- [466] L. Ji, A. Friedrich, I. Krummenacher, A. Eichhorn, H. Braunschweig, M. Moos, S. Hahn, F. Geyer, O. Tverskoy, J. Han, C. Lambert, A. Dreuw, T. B. Marder, U. H. F. Bunz  
Preparation, Properties, and Structures of the Radical Anions, and Dianions of Azapentacenes  
*J. Am. Chem. Soc.* **2017**, *139*, 15968–15976.
- [465] H. Braunschweig, M. Dömling, S. Kachel, H. Kelch, T. Kramer, I. Krummenacher, C. Lenczyk, S. Lin, Z. Lin, C. Possiel, K. Radacki  
Abnormal Tin-Boron Exchange in the Attempted Synthesis of a Borylated Borole  
*Chem. Eur. J.* **2017**, *23*, 16167–16170.
- [464] S. Liu, M. Légaré, D. Auerhammer, A. Hofmann, H. Braunschweig  
The First Boron-Tellurium Double Bond: Direct Insertion of Heavy Chalcogens into a Mn=B Double Bond  
*Angew. Chem.* **2017**, *129*, 15968–15971; *Angew. Chem. Int. Ed.* **2017**, *56*, 15760–15763.
- [463] M. Arrowsmith, J. Böhnke, H. Braunschweig, M. A. Celik  
Reactivity of a Dihydrodiborene with CO: Coordination, Insertion, Cleavage, and Spontaneous Formation of a Cyclic Alkyne  
*Angew. Chem.* **2017**, *129*, 14475–14480; *Angew. Chem. Int. Ed.* **2017**, *56*, 14287–14292.
- [462] D. Auerhammer, M. Arrowsmith, H. Braunschweig, R. D. Dewhurst, J. O. C. Jiménez Halla, T. Kupfer  
Nucleophilic addition and substitution at coordinatively saturated boron by facile 1,2-hydrogen shuttling onto a carbene donor  
*Chem. Sci.* **2017**, *8*, 7066–7071.
- [461] J. Böhnke, H. Braunschweig, A. Deißberger, T. Dellermann, R. D. Dewhurst, S. Kachel, H. Kelch, D. Prieschl  
Alkylideneborate zwitterions and C-C coupling by atypical diboration of electron-rich alkynes  
*Chem. Commun.* **2017**, *53*, 12132–12135.
- [460] S. R. Wang, M. Arrowsmith, H. Braunschweig, R. D. Dewhurst, M. Dömling, J. D. Mattock, C. Prankevicus, A. Vargas  
Monomeric 16-Electron  $\pi$ -Diborene Complexes of Zn(II) and Cd(II)  
*J. Am. Chem. Soc.* **2017**, *139*, 10661–10664.
- [459] M. Arrowsmith, D. Auerhammer, R. Bertermann, H. Braunschweig, M. A. Celik, J. Erdmannsdörfer, T. Kupfer, I. Krummenacher  
From Borane to Borylene without Reduction: Ambiphilic Behavior of a Monovalent Silylisonitrile Boron Species  
*Angew. Chem.* **2017**, *129*, 11417–11421; *Angew. Chem. Int. Ed.* **2017**, *56*, 11263–11267.
- [458] J. Merz, J. Fink, A. Friedrich, I. Krummenacher, H. Al Mamari, S. Lorenzen, M. Hähnel, A. Eichhorn, M. Moos, M. Holzapfel, H. Braunschweig, C. Lambert, A. Steffen, L. Ji, T. B. Marder  
Pyrene Molecular Orbital Shuffle—Controlling Excited State and Redox Properties by Changing the Nature of the Frontier Orbitals  
*Chem. Eur. J.* **2017**, *23*, 13164–13180.
- [457] H. Braunschweig, T. Brückner, A. Deißberger, R. D. Dewhurst, A. Gackstatter, A. Gärtner, A. Hofmann, T. Kupfer, D. Prieschl, T. Thiess, S. R. Wang  
Reaction of Dihalodiboranes(4) with a N-Heterocyclic Silylene: Facile Construction of 1-Aryl-2-Silyl-1,2-Diboraindanes  
*Chem. Eur. J.* **2017**, *23*, 9491–9494.
- [456] G. Bélanger-Chabot, H. Braunschweig, D. K. Roy,  
Recent Developments in Azaborinine Chemistry  
*Eur. J. Inorg. Chem.* **2017**, *18*, 4353–4368.

- [455] M. Arrowsmith, J. Böhnke, H. Braunschweig, A. Deißberger, R. D. Dewhurst, W. C. Ewing, C. Hörl, J. Mies, J. H. Muessig  
Simple solution-phase syntheses of tetrahalodiboranes(4) and their labile dimethylsulfide adducts  
*Chem. Commun.* **2017**, 53, 8265–8267.
- [454] Z. Wang, Y. Zhou, K.-H. Lee, W. H. Lam, R. D. Dewhurst, H. Braunschweig, T. B. Marder, Z. Lin  
DFT Studies of Dimerization Reactions of Boroles  
*Chem. Eur. J.* **2017**, 23, 11587–11597.
- [453] A. Lehmann, L. Lechner, K. Radacki, H. Braunschweig, U. Holzgrabe  
Crystal structure of (3*S*\*,4*R*\*)-4-fluoro-3-(4-methoxyphenyl)-1-oxo-2-phenyl-1,2,3,4-tetrahydroisoquinoline-4-carboxylic acid  
*Acta Cryst.* **2017**, E73, 867–870.
- [452] S. R. Wang, M. Arrowsmith, J. Böhnke, H. Braunschweig, T. Dellermann, R. D. Dewhurst, Hauke Kelch, I. Krummenacher, J. D. Mattock, J. H. Müssig, T. Thiess, A. Vargas, J. Zhang  
Engineering a Small HOMO-LUMO Gap and Intramolecular C–H Borylation by Diborene/Anthracene Orbital Intercalation  
*Angew. Chem.* **2017**, 129, 8122–8126; *Angew. Chem. Int. Ed.* **2017**, 56, 8009–8013.
- [451] B. Borthakur, H. Braunschweig, A. Deißberger, T. Dellermann, R. D. Dewhurst, I. Krummenacher, M. Nutz, A. K. Phukan, M. Schäfer  
Synthesis and Trapping of Iminoboranes by M=B/C=N Bond Metathesis  
*Angew. Chem.* **2017**, 129, 8084–8089; *Angew. Chem. Int. Ed.* **2017**, 56, 7975–7979.
- [450] H. Braunschweig, M. A. Celik, T. Dellermann, G. Frenking, K. Hammond, F. Hupp, H. Kelch, I. Krummenacher, F. Lindl, L. Mailänder, J. H. Müssig, A. Ruppert  
Scope of the Thermal Ring Expansion Reaction of Boroles with Organoazides  
*Chem. Eur. J.* **2017**, 23, 8006–8013
- [449] J. Schäfer, M. Holzappel, B. Mladenova, D. Kattinig, I. Krummenacher, H. Braunschweig, G. Grampp, C. Lambert  
Hole Transfer Processes in *meta*- and *para*-Conjugated Mixed Valence Compounds: Unforeseen Effects of Bridge Substituents and Solvent Dynamics  
*J. Am. Chem. Soc.* **2017**, 139, 6200–6209.
- [448] M. Arrowsmith, J. Böhnke, H. Braunschweig, H. Gao, M. A. Légaré, V. Paprocki, J. Seufert  
Synthesis and Reduction of Sterically Encumbered Mesoionic Carbene-Stabilized Aryldihaloboranes  
*Chem. Eur. J.* **2017**, 23, 12210–12217.
- [447] H. Braunschweig, T. Dellermann, R. D. Dewhurst, B. Hupp, T. Kramer, J. Mattock, J. Mies, A. K. Phukan, A. Steffen, A. Vargas  
Strongly Phosphorescent Transition Metal  $\pi$  Complexes of Boron-Boron Triple Bonds  
*J. Am. Chem. Soc.* **2017**, 139, 4887–4893.
- [446] H. Braunschweig, I. Krummenacher, M.-A. Légaré, A. Matler, K. Radacki, Q. Ye  
Main-Group Metallomimetics – Unprecedented Transition Metal-like Photolytic CO Substitution at Boron  
*J. Am. Chem. Soc.* **2017**, 139, 1802–1805.
- [445] M. Arrowsmith, H. Braunschweig, K. Radacki, T. Thiess, A. Turkina  
Facile Access to Unprecedented Electron-Precise Monohydrodiboranes(4), *cis*-1,2-Dihydrodiboranes(4), and a 1,1-Dihydrodiborane(5)  
*Chem. Eur. J.* **2017**, 23, 2179–2184.
- [444] H. Braunschweig, R. D. Dewhurst, W. E. Ewing, M. Schäfer  
Isolation of a Reactive Cyclopropane Intermediate via a Unique Catalyst-Free Spontaneous Cyclopropanation Step at 0 °C  
*Chem. Eur. J.* **2017**, 23, 5953–5956.
- [443] H. Braunschweig, I. Krummenacher, C. Lichtenberg, J. D. Mattock, M. Schäfer, U. Schmidt, C. Schneider, T. Steffenhagen, S. Ullrich, A. Vargas  
Dibora[2]ferrocenophane: A Carbene-Stabilized Diborene in a Strained *cis*-Configuration  
*Angew. Chem.* **2017**, 129, 907–911; *Angew. Chem. Int. Ed.* **2017**, 56, 889–892.
- [442] M. Arrowsmith, H. Braunschweig, T. E. Stennett  
Formation and Reactivity of Electron-Precise B–B Single and Multiple Bonds  
*Angew. Chem.* **2017**, 129, 100–120; *Angew. Chem. Int. Ed.* **2017**, 56, 96–115.

- [441] N. Arnold, R. Bertermann, M. Bickelhaupt, H. Braunschweig, M. Drisch, M. Finze, F. Hupp, J. Poater, J. A. P. Sprenger  
Formation of a Trifluorophosphane Platinum(II) Complex by P–F Bond Activation of Phosphorus Pentafluoride with a Pt<sup>0</sup> Complex  
*Chem. Eur. J.* **2017**, *23*, 5948–5952.

## 2016

- [440] M. B. Ansell, G. E. Kostakis, H. Braunschweig, O. Navarro, J. Spencer  
Synthesis of Functionalized Hydrazines: Facile Homogenous (N-Heterocyclic Carbene)-Palladium(0) Catalyzed Diboration and Silaboration of Azobenzenes  
*Adv. Synth. Catal.* **2016**, *358*, 3765–3769.
- [439] R. Bertermann, J. Böhnke, H. Braunschweig, R. D. Dewhurst, T. Kupfer, J. H. Muessig, L. Pentecost, K. Radacki, S. S. Sen, A. Vargas  
Dynamic, Reversible Oxidative Addition of Highly Polar Bonds to a Transition Metal  
*J. Am. Chem. Soc.* **2016**, *138*, 161400–16147.
- [438] M. Arrowsmith, D. Auerhammer, R. Bertermann, H. Braunschweig, G. Bringmann, M. A. Celik, R. D. Dewhurst, M. Finze, M. Grüne, M. Hailmann, T. Hertle, I. Krummenacher  
Generation of Dicoordinate Boron(I) Units by Fragmentation of a Tetra-Boron(I) Molecular Square  
*Angew. Chem.* **2016**, *128*, 14680 – 14684; *Angew. Chem. Int. Ed.* **2016**, *55*, 14464 –14468.
- [437] R. Bertermann, H. Braunschweig, M. A. Celik, T. Dellermann, H. Kelch  
Cyclisation of biscarbenoids – a novel mode of cyclobutadiene stabilisation  
*Chem. Commun.* **2016**, *52*, 13249 –13252.
- [436] A. Gackstatter, H. Braunschweig, T. Kupfer, C. Voigt, N. Arnold  
N-Heterocyclic Silylenes in Boron Chemistry: Facile Formation of Silylboranes and Silaborinines  
*Chem. Eur. J.* **2016**, *22*, 16415 – 16419.
- [435] R. Bissert, H. Braunschweig, R. D. Dewhurst, C. Schneider  
Metal-Only Lewis Pairs Based on Zerovalent Osmium  
*Organometallics* **2016**, *35*, 2567–2573.
- [434] N. Arnold, H. Braunschweig, R. D. Dewhurst, F. Hupp, K. Radacki, A. Trumpp  
Desymmetrizing Electron-Deficient Diboranes(4): Diverse Products and Their Reactivity  
*Chem. Eur. J.* **2016**, *22*, 13927–13934.
- [433] M. Arrowsmith, J. Böhnke, H. Braunschweig, M. A. Celik, T. Dellermann, K. Hammond  
Uncatalyzed Hydrogenation of First-Row Main Group Multiple Bonds  
*Chem. Eur. J.* **2016**, *22*, 17169–17172.
- [432] H. Kelch, S. Kachel, M. A. Celik, M. Schäfer, B. Wennemann, K. Radacki, A. R. Petrov, M. Tamm, H. Braunschweig  
Elucidating the Reactivity of Vicinal Dicarbenoids: From Lewis Adduct Formation to B–C Bond Activation  
*Chem. Eur. J.* **2016**, *22*, 13815–13818.
- [431] M. Schäfer, N. A. Beattie, K. Geetharani, J. Schäfer, W. C. Ewing, M. Krahfuß, C. Hörl, S. A. Macgregor, C. Lambert, H. Braunschweig,  
Synthesis of Functionalized 1,4-Azaborinines by the Cyclization of Di-*tert*-butyliminoborane and Alkynes  
*J. Am. Chem. Soc.* **2016**, *138*, 8212–8220.
- [430] H. Braunschweig, J. O. C. Halla, K. Radacki, R. Shang  
Direct Conversion from Terminal Borylene into Terminal Phosphinidene  
*Angew. Chem.* **2016**, *128*, 12864–12868; *Angew. Chem. Int. Ed.* **2016**, *55*, 12673–12677.
- [429] U. S. D. Paul, H. Braunschweig, U. Radius  
Iridium-catalysed dehydrocoupling of aryl phosphine-borane adducts: synthesis and characterisation of high molecular weight poly(phosphinoboranes)  
*Chem. Commun.* **2016**, *52*, 8573–8576.
- [428] H. Braunschweig, S. Demeshko, W. C. Ewing, I. Krummenacher, B. B. Macha, J. D. Mattock, F. Meyer, J. Mies, M. Schäfer, A. Vargas

- A Binuclear 1,1'-Bis(boratabenzene) Complex: Unprecedented Intramolecular Metal–Metal Communication through a B–B Bond  
*Angew. Chem.* **2016**, *128*, 7839–7842; *Angew. Chem. Int. Ed.* **2016**, *55*, 7708–7711.
- [427] H. Braunschweig, I. Krummenacher, L. Mailänder, L. Pentecost, A. Vargas  
Formation of a Stable Radical by Oxidation of a Tetraorganoborate  
*Chem. Commun.* **2016**, *52*, 7005–7008.
- [426] N. Arnold, H. Braunschweig, W. C. Ewing, T. Kupfer, K. Radacki, T. Thiess, A. Trumpp  
Controlling Regiochemistry in the Syntheses of Boraindanes from Diborane(4) Starting Materials  
*Chem. Eur. J.* **2016**, *22*, 11441–11449.
- [425] H. Braunschweig, A. Damme, R. D. Dewhurst, K. Radacki, F. Weißenberger, B. Wennemann, Q. Ye  
Fundamental Differences between Group 8 Metals: Unexpected Oxidation State Preferences and Mechanisms in Ruthenium Borylene Complex Formation  
*Chem. Eur. J.* **2016**, *22*, 8471–8474.
- [424] H. Braunschweig, M.-A. Légaré, A. Matler, B. Wennemann  
Silylosmium Anions for the Synthesis of Borylosmium(II) Complexes by Salt Elimination  
*Eur. J. Inorg. Chem.* **2016**, *18*, 3376–3379.
- [423] H. Braunschweig, M. A. Celik, R. D. Dewhurst, K. Ferkinghoff, A. Hermann, J. O. C. Jimenez-Halla, T. Kramer, K. Radacki, R. Shang, E. Siedler, F. Weißenberger, C. Werner  
Interactions of Isonitriles with Metal–Boron Bonds: Insertions, Coupling, Ring Formation, and Liberation of Monovalent Boron  
*Chem. Eur. J.* **2016**, *22*, 11736–11744.
- [422] N. Arnold, H. Braunschweig, A. Damme, R. D. Dewhurst, L. Pentecost, K. Radacki, S. Stellwag-Konertz, T. Thiess, A. Trumpp, A. Vargas  
New outcomes of Lewis base addition to diboranes(4):electronic effects override strong steric disincentives  
*Chem. Commun.* **2016**, *52*, 4898–4901.
- [421] H. Braunschweig, P. Constantinidis, T. Dellermann, W. C. Ewing, I. Fischer, M. Hess, F. R. Knight, A. Rempel, C. Schneider, S. Ullrich, A. Vargas, J. D. Woollins  
Highly Strained Heterocycles Constructed from Boron-Boron Multiple Bonds and Heavy Chalcogens  
*Angew. Chem.* **2016**, *128*, 5697–5700; *Angew. Chem. Int. Ed.* **2016**, *55*, 5606–5609.
- [420] H. Braunschweig, M. A. Celik, R. D. Dewhurst, K. Ferkinghoff, K. Radacki, F. Weißenberger  
Boron-Metallated Borirenes and Bis(Borirenes)  
*Chem. Eur. J.* **2016**, *22*, 8596–8602.
- [419] R. D. Dewhurst, R. Claessen, H. Braunschweig  
Two-Dimensional But Not Flat: An All-Boron Graphene with a Corrugated Structure  
*Angew. Chem.* **2016**, *128*, 4948–4950; *Angew. Chem. Int. Ed.* **2016**, *55*, 4866–4868.
- [418] M. Arrowsmith, J. Böhnke, H. Braunschweig,\* M. A. Celik, C. Claes, W. C. Ewing, Ivo Krummenacher, K. Lubitz, C. Schneider  
Neutral Diboron Analogues of Archetypal Aromatic Species by Spontaneous Cycloaddition  
*Angew. Chem.* **2016**, *128*, 11441–11445; *Angew. Chem. Int. Ed.* **2016**, *55*, 11271–11275.
- [417] M. Schäfer, J. Schäfer, W. C. Ewing, M. Krauß, M. W. Kuntze-Fechner, M. Wehner, R. D. Dewhurst, C. Lambert,\* H. Braunschweig\*  
Regioselective Catalytic and Stepwise Routes to Bulky, Functional-Group-Appended and Luminescent 1,2-Azaborinines  
*Chem. Eur. J.* **2016**, *22*, 8603–8609.
- [416] H. Braunschweig, R. D. Dewhurst, C. Schneider  
Steric Control between Neutral Metal-Only Lewis Pairs and Metal-Stabilized Gallenium and Gallinium Cations  
*Organometallics* **2016**, *35*, 1002–1007.
- [415] M. Arrowsmith, H. Braunschweig, M. A. Celik, T. Dellermann, R. D. Dewhurst, W. C. Ewing, K. Hammond, T. Kramer, I. Krummenacher, J. Mies, K. Radacki, J. K. Schuster  
Neutral zero-valent s-block complexes with strong multiple bonding  
*Nature Chem.* **2016**, *8*, 890–894.
- [414] N. Arnold, H. Braunschweig, R. D. Dewhurst, W. C. Ewing  
Unprecedented Borane, Diborane(3), Diborene, and Borylene Ligands via Pt-Mediated Borane



## Dehydrogenation

*J. Am. Chem. Soc.* **2016**, *138*, 76–79.

- [413] H. Braunschweig, R. D. Dewhurst, L. Pentecost, K. Radacki, A. Vargas, Q. Ye  
Dative Bonding between Group 13 Elements Using a Boron-Centered Lewis Base  
*Angew. Chem.* **2016**, *128*, 447–451; *Angew. Chem. Int. Ed.* **2016**, *55*, 436–440.
- [412] H. Braunschweig, M. A. Celik, R. D. Dewhurst, S. Kachel, B. Wennemann,  
Mild and Complete Carbonyl Ligand Scission on a Mononuclear Transition Metal Complex  
*Angew. Chem.* **2016**, *128*, 5160–5164; *Angew. Chem. Int. Ed.* **2016**, *55*, 5076–5080.
- [411] H. Braunschweig, R. D. Dewhurst, K. Ferkinghoff  
Carbene-induced synthesis of the first boronium cations using the  $[(\eta^5\text{-C}_5\text{Me}_5)\text{Fe}(\text{CO})_2]^-$   
anion as unlikely leaving group  
*Chem. Commun.* **2016**, *52*, 183–185.
- [410] H. Braunschweig, W.C. Ewing, S. Ghosh, T. Kramer, J.D. Mattock, S. Östreicher, A. Vargas,  
C. Werner  
Trimetallaborides as starting points for the syntheses of large metal-rich molecular borides and  
clusters  
*Chem. Sci.* **2016**, *7*, 109–116.
- [409] H. Braunschweig, I. Krummenacher  
Electrochemical Behavior and Redox Chemistry of Boroles in *Organic Redox Systems:  
Synthesis, Properties and Applications* (Hrsg.: T. Nishinaga),  
Wiley, **2016**, *17*, 503–522.

## 2015

- [408] N. Arnold, S. Mozo, U. Paul, U. Radius, H. Braunschweig  
Aryldihydroborane Coordination to Iridium and Osmium Hydrido Complexes  
*Organometallics* **2015**, *34*, 5709–5715.
- [407] H. Braunschweig, J. O. C. Jimenez-Halla, K. Radacki, R. Shang  
A metal-mediated boron-centred isomerization reaction *via* C–H activation  
*Chem. Commun.* **2015**, *51*, 16569–16572.
- [406] H. Braunschweig, C. Brunecker, R. D. Dewhurst, C. Schneider, B. Wennemann  
Lewis Acid Binding and Transfer as a Versatile Experimental Gauge of the Lewis Basicity of  
 $\text{Fe}^0$ ,  $\text{Ru}^0$  and  $\text{Pt}^0$  Complexes.  
*Chem. Eur. J.* **2015**, *21*, 19195–19201.
- [405] P. Bissinger, H. Braunschweig, M. A. Celik, C. Claes, R. D. Dewhurst, S. Endres, H. Kelch, T.  
Kramer, I. Krummenacher, C. Schneider  
Synthesis of cyclic diborenes with unprecedented *cis*-configuration  
*Chem. Commun.* **2015**, *51*, 15917–15920.
- [404] T. Kupfer, H. Braunschweig, K. Radacki  
The Triboracyclopropenyl Dianion: The Lightest Possible Main-Group-Element Hückel  $\pi$   
Aromatic  
*Angew. Chem.* **2015**, *127*, 15299–15303; *Angew. Chem. Int. Ed.* **2015**, *54*, 15084–15088.
- [403] H. Braunschweig, F. Hupp, I. Krummenacher, L. Mailänder, F. Rauch  
Ring Expansions of Boroles with Diazo Compounds: Steric Control of C or N Insertion and  
Aromatic / Nonaromatic Products  
*Chem. Eur. J.* **2015**, *21*, 17844–17849.
- [402] D. Schmidt, M. Son, J. Lim, M.-J. Lin, I. Krummenacher, H. Braunschweig, D. Kim, F.  
Würthner  
Perylene Bisimide Radicals and Biradicals: Synthesis and Molecular Properties  
*Angew. Chem.* **2015**, *127*, 14186–14190; *Angew. Chem. Int. Ed.* **2015**, *54*, 13980–13984.
- [401] J. Böhnke, H. Braunschweig, T. Dellermann, W. C. Ewing, K. Hammond, T. Kramer, J. O. C.  
Jimenez-Halla, J. Mies,  
The Synthesis of  $\text{B}_2(\text{SIDip})_2$  and its Reactivity Between the Diboracumulenic and Diborynic  
Extremes  
*Angew. Chem.* **2015**, *127*, 14006–14010, *Angew. Chem. Int. Ed.* **2015**, *54*, 13801–13805.
- [400] H. Braunschweig, I. Krummenacher, L. Mailänder, F. Rauch

- O,N,B-Containing eight-membered heterocycles by ring expansion of boroles with nitrones  
*Chem. Commun.* **2015**, 51, 14513–14515.
- [399] H. Braunschweig, A. Damme, K. Dück, M. Fuß, C. Hörl, T. Kramer, I. Krummenacher, T. Kupfer, C. Schneider  
Ansa Complexes of  $[\text{Mn}(\eta^5\text{-C}_5\text{H}_5)(\eta^6\text{-C}_6\text{H}_6)]$ : Preparation, Characterization, and Reactivity of  $[\eta]$ Manganoarenophanes ( $n = 1, 2, 3$ )  
*Chem. Eur. J.* **2015**, 21, 14797–14803.
- [398] N. Arnold, H. Braunschweig, P. B. Brenner, M. A. Celik, R. D. Dewhurst, M. Hähnel, T. Kramer, I. Krummenacher, T. B. Marder  
Correlations and Contrasts in Homo- and Heteroleptic Cyclic (Alkyl)(amino)carbine-Containing  $\text{Pt}^0$  Complexes  
*Chem. Eur. J.* **2015**, 21, 12357–12362.
- [397] H. Braunschweig, W. C. Ewing, K. Ferkinghoff, A. Hermann, T. Kramer, R. Shang, E. Siedler, C. Werner  
Activation of boryl-, borylene and metalloborylene complexes by isonitriles  
*Chem. Commun.* **2015**, 51, 13032–13035.
- [396] H. Braunschweig, R. D. Dewhurst, K. Radacki, B. Wennemann, Q. Ye  
1,2-Halosilane vs. 1,2-alkylborane elimination from (boryl)(silyl) complexes of iron: switching between borylenes and silylenes just by changing the alkyl group  
*Chem. Commun.* **2015**, 51, 15465–15468.
- [395] H. Braunschweig, T. Dellermann, W. C. Ewing, T. Kramer, C. Schneider, S. Ullrich,  
Reductive Insertion of Elemental Chalcogens into Boron–Boron Multiple Bonds  
*Angew. Chem.* **2015**, 127, 10409–10413; *Angew. Chem. Int. Ed.* **2015**, 54, 10271–10275 (VIP).
- [394] R. Bertermann, H. Braunschweig, T. Dellermann, R. D. Dewhurst, W. C. Ewing, T. Kramer, J. Mies, A. K. Phukan, A. Vargas  
Exclusive  $\pi$  Encapsulation of Light Alkali Metal Cations by a Neutral Molecule  
*Angew. Chem.* **2015**, 127, 13282–13286; *Angew. Chem. Int. Ed.* **2015**, 54, 13090–13094.
- [393] L. Ji, R. Edkins, A. Lorbach, I. Krummenacher, C. Brückner, A. Eichhorn, H. Braunschweig, B. Engels, P. Low, T. B. Marder  
Electron Delocalization in Reduced Forms of 2-(BMe<sub>2</sub>)pyrene and 2,7-Bis(BMe<sub>2</sub>)pyrene  
*J. Am. Chem. Soc.* **2015**, 137, 6750–6753.
- [392] H. Braunschweig, A. Gackstatter, T. Kupfer, T. Scheller, F. Hupp, A. Damme, N. Arnold and W. C. Ewing  
Generation of 1,2-azaboretidines *via* reduction of ADC borane adducts  
*Chem. Sci.* **2015**, 6, 3461–3465.
- [391] R. D. Dewhurst, E. C. Neeve, H. Braunschweig, T. B. Marder  
 $\text{sp}^2\text{-sp}^3$  diboranes: astounding structural variability and mild sources of nucleophilic boron for organic synthesis  
*Chem. Commun.* **2015**, 51, 9594–9607.
- [390] H. Braunschweig, A. Gackstatter, T. Kupfer, K. Radacki, S. Franke, K. Meyer, K. Fucke, M.-H. Lemée-Cailleau  
UraniumHydridoborates: Synthesis, Magnetism and X-ray/Neutron Diffraction Structures  
*Inorg. Chem.* **2015**, 54, 8022–8028.
- [389] Z. Zhang, R. M. Edkins, M. Haehnel, M. Wehner, A. Eichhorn, L. Mailänder, M. Meier, J. Brand, F. Brede, H. Braunschweig, and T. B. Marder  
Taming the beast: fluoromesityl groups induce a dramatic stability enhancement in boroles  
*Chem. Sci.* **2015**, 6, 5922–5927.
- [388] H. Braunschweig, M. A. Celik, K. Dück, F. Hupp, I. Krummenacher,  
f-Block Ansa Complexes in the Solid State: [3]Thoro- and [3]Uranocenophanes  
*Chem. Eur. J.* **2015**, 21, 9339–9342.
- [387] H. Braunschweig, R. D. Dewhurst, S. Mozo  
Building Electron-Precise Boron-Boron Single Bonds: Imposing Monogamy on a Promiscuous Element  
*Chem. Cat. Chem.* **2015**, 7, 1630–1638.
- [386] J. Brand, H. Braunschweig, R. D. Dewhurst, F. Hupp, K. Lang  
Synthesis and Hydroboration of a Mixed-Donor Iminoboryl Complex of Platinum  
*Eur. J. Inorg. Chem.* **2015**, 17, 2592–2595.

- [385] H. Braunschweig, W. C. Ewing, T. Kramer, J. D. Mattock, A. Vargas, C. Werner  
Organometallic Probe for the Electronics of Base-Stabilized Group 11 Metal Cations  
*Chem. Eur. J.* **2015**, *21*, 12347–12356.
- [384] F. A. Perras, W. C. Ewing, T. Dellermann, J. Böhnke, S. Ulrich, T. Schäfer, H. Braunschweig, D. L. Bryce  
Spying on the boron-boron triple bond using spin-spin coupling measured from  $^{11}\text{B}$  solid-state NMR spectroscopy  
*Chem. Sci.* **2015**, *6*, 3378–3382.
- [383] H. Braunschweig, R. D. Dewhurst, F. Hupp, M. Nutz, K. Radacki, C. Tate, A. Vargas, Q. Ye  
Multiple complexation of CO and related ligands to a main-group element  
*Nature*, **2015**, 327–330.
- [382] H. Braunschweig, M. A. Celik, F. Hupp, I. Krummenacher, L. Mailänder  
Formation of BN Isosteres of Azo Dyes by Ring Expansion of Boroles with Azides  
*Angew. Chem.* **2015**, *127*, 6445–6449; *Angew. Chem. Int. Ed.* **2015**, *54*, 6347–6351.
- [381] H. Braunschweig, R. Shang  
Reactivity of Transition Metal Borylene Complexes: Recent Advances in B–C and B–B Bond Formation via Borylene Ligand Coupling  
*Inorg. Chem.* **2015**, *54*, 3099–3106.
- [380] M. Steeger, S. Griesbeck, A. Schmiedel, M. Holzapfel, I. Krummenacher, H. Braunschweig, C. Lambert  
On the Relation of Energy Transfer Between IV-CT States and Electron Transfer Between Redox Centres in Multidimensional Chromophores Based on Polychlorinated Triphenylmethyl Radicals and Triarylamines  
*Phys. Chem. Chem. Phys.*, **2015**, *17*, 11848–11867.
- [379] J. Böhnke, H. Braunschweig, T. Dellermann, W. C. Ewing, T. Kramer, I. Krummenacher, A. Vargas  
From an Electron-Rich Bis(boraketeneimine) to an Electron-Poor Diborene  
*Angew. Chem.* **2015**, *127*, 4551–4555; *Angew. Chem. Int. Ed.* **2015**, *54*, 4469–4473.
- [378] H. Braunschweig, Q. Ye, M. A. Celik, K. Radacki, R. D. Dewhurst  
Cyclization of a 1,4-Diborabutadiene Ligand with Both Atoms of CO  
*Angew. Chem.* **2015**, *127*, 5154–5157; *Angew. Chem. Int. Ed.* **2015**, *54*, 5065–5068.
- [377] H. Braunschweig, R. D. Dewhurst, T. Kramer  
Synthesis of the First Heteroaryl-Substituted Boryl Complexes: Strong Stabilizing Effects of Boron–Aryl  $\pi$ -Conjugation  
*Inorg. Chem.* **2015**, *54*, 3619–3621.
- [376] S. Bertsch, J. Brand, H. Braunschweig, F. Hupp, K. Radacki  
Platinum Oxoboryl Complexes as Substrates for the Formation of 1:1, 1:2 and 2:1 Lewis Acid-Base Adducts and 1,2-Dipolar Additions  
*Chem. Eur. J.* **2015**, *21*, 6278–6285.
- [375] J. O. C. Jimenez-Halla, E. Matito, M. Solà, H. Braunschweig, C. Hörl, I. Krummenacher, J. Wahler  
A theoretical study of the aromaticity in neutral and anionic borole compounds  
*Dalton* **2015**, *44*, 6740–6747.
- [374] P. V. Simpson, K. Radacki, H. Braunschweig, U. Schatzschneider  
An iridium *N*-heterocyclic carbene complex [IrCl(CO)<sub>2</sub>(NHC)] as a carbon monoxide-releasing molecule (CORM)  
*J. Organomet. Chem.* **2015**, *782*, 116–123.
- [373] N. Arnold, H. Braunschweig, P. B. Brenner, R. Dewhurst, T. Kramer, K. Radacki  
Investigation of Steric Factors Involved in the Formation of Terminal Cationic Platinum Arylborylene Complexes  
*Organometallics* **2015**, *34*, 2343–2347.
- [372] H. Braunschweig, K. Radacki, R. Shang  
Side-on coordination of boryl and borylene complexes to cationic coinage metal fragments  
*Chem. Sci.* **2015**, *6*, 2989–2996.
- [371] H. Braunschweig, R. D. Dewhurst, F. Hupp, J. Wolf  
Unprecedented Oxidative Addition and Metal-Only Lewis Pair Chemistry of Antimony Trihalides  
*Chem. Eur. J.* **2015**, *21*, 1860–1862

- [370] H. Braunschweig, C. Brückner, M. A. Celik, K. Dück, F. Hupp, T. Kramer, J. Krebs, I. Krummenacher  
Ansa-Bridged Bis(benzene)Titanium Complexes  
*Chem. Eur. J.* **2015**, *21*, 11056–11064.
- [369] H. Braunschweig, A. Damme, S. Demeshko, K. Dück, T. Kramer, I. Krummenacher, F. Meyer, K. Radacki, S. Stellwag-Konertz, G. R. Whittell  
A Paramagnetic Heterobimetallic Polymer: Synthesis, Reactivity, and Ring-Opening Polymerization of Tin-Bridged Homo- and Heteroleptic Vanadoarenophanes  
*J. Am. Chem. Soc.* **2015**, *137*, 1492–1500.
- [368] H. Braunschweig, C. Claes, A. Damme, A. Deißberger, R. D. Dewhurst, C. Hörl, T. Kramer  
A facile and selective route to remarkably inert monocyclic NHC-stabilized boriranes  
*Chem. Commun.* **2015**, *51*, 1627–1630.
- [367] H. Braunschweig, W. C. Ewing, K. Geetharani, M. Schäfer  
The Reactivities of Iminoboranes with Carbenes: BN Isosteres of Carbene-Alkyne Adducts  
*Angew. Chem.* **2015**, *127*, 1682–1685; *Angew. Chem. Int. Ed.* **2015**, *54*, 1662–1665.
- [366] M. Schäfer, I. Krummenacher, H. Braunschweig, M. Finze  
Boron Clusters with a Ferrocenylalkynyl Group Bonded to Boron: Synthesis, Characterization, and Electrochemical Trends  
*Z. anorg. allg. Chem.* **2015**, *641*, 660–668.
- [365] P. Bissinger, H. Braunschweig, A. Damme, C. Hörl, I. Krummenacher, T. Kupfer  
Boron as a Powerful Reductant: Synthesis of a Stable Boron-Centered Radical-Anion Radical-Cation Pair  
*Angew. Chem.* **2015**, *127*, 366–369; *Angew. Chem. Int. Ed.* **2015**, *54*, 359–362.
- [364] H. Braunschweig, A. Damme, R. D. Dewhurst, H. Kelch, B. B. Macha, K. Radacki, A. Vargas, Q. Ye  
Platinum *trans*-Bis(borirene) Complexes Displaying Coplanarity and Communication Across a Platinum Metal Center  
*Chem. Eur. J.* **2015**, *21*, 2377–2386.
- [363] H. Braunschweig, S. Ghosh, J. O. C. Jimenez-Halla, J. H. Klein, C. Lambert, K. Radacki, A. Steffen, A. Vargas, J. Wahler  
A Combined Experimental and Theoretical Study on the Isomers of 2,3,4,5-Tetracarba-*nido*-Hexaborane(6) Derivatives and Their Photophysical Properties  
*Chem. Eur. J.* **2015**, *21*, 210–218.
- [362] T. Arnold, H. Braunschweig, W. C. Ewing, T. Kramer, J. Mies, J. K. Schuster  
Beryllium bis(diazaboroly): old neighbors finally shake hands  
*Chem. Commun.* **2015**, *51*, 737–740.
- [361] P. Bissinger, A. Steffen, A. Vargas, R. D. D. Dewhurst, A. Damme, H. Braunschweig  
Unexpected Luminescence Behavior of Coinage Metal  $\pi$ -Diborene Complexes  
*Angew. Chem.* **2015**, *127*, 4436–4440; *Angew. Chem. Int. Ed.* **2015**, *54*, 4362–4366.
- [360] H. Braunschweig, M. A. Celik, R. D. Dewhurst, M. Heid, F. Hupp and S. S. Sen  
Stepwise isolation of low-valent, low-coordinate Sn and Pb mono- and dications in the coordination sphere of platinum  
*Chem. Sci.* **2015**, *6*, 425–435.
- [359] J. Böhnke, H. Braunschweig, P. Constantinidis, T. Dellermann, W. C. Ewing, I. Fischer, K. Hammond, F. Hupp, J. Mies, H.-C. Schmitt, A. Vargas  
Experimental Assessment of the Strengths of B–B Triple Bonds  
*J. Am. Chem. Soc.* **2015**, *137*, 1766–1769.

## 2014

- [358] H. Braunschweig, T. Kramer,  
Crystal structure of  $\mu$ -1 $\kappa$ C:2( $\eta^2$ )-carbonyl-carbonyl-1 $\kappa$ C-chlorido-2 $\kappa$ Cl- $\mu$ -chloridoborylene-1:2 $\kappa^2$ B:B-[1( $\eta^5$ )-pentamethylcyclopentadienyl](tricyclohexylphosphane-2 $\kappa$ P)iron(II)platinum(II) benzene monosolvate  
*Acta Cryst.* **2014**, *E70*, 421-423.

- [357] H. Braunschweig, R. D. Dewhurst, F. Hupp, C. Schneider  
Silver(I) and thallium(I) cations as unsupported bridges between two metal bases  
*Chem. Commun.* **2014**, 50, 15685–15688.
- [356] H. Braunschweig, R. D. Dewhurst  
Boron-Boron Multiple Bonding: From Charged to Neutral and Back Again  
*Organometallics* **2014**, 33, 6271–6277.
- [355] F. Hupp, M. Ma, F. Kroll, J. O. C. Jimenez-Halla, R. D. Dewhurst, K. Radacki, A. Stasch, C. Jones, H. Braunschweig  
Platinum Complexes Containing Pyramidalized Germanium and Tin Dihalide Ligands Bound through  $\sigma, \sigma$  M=E Multiple Bonds  
*Chem. Eur. J.* **2014**, 20, 16888–16898.
- [354] H. Braunschweig, C. Hörl  
Unexpected cluster formation upon hydroboration of a neutral diborene with 9-BBN  
*Chem. Commun.* **2014**, 50, 10983–10985.
- [353] H. Braunschweig, R. D. Dewhurst, T. Kramer, E. Siedler  
A Simple Decarbonylative Route to Heterodinuclear Alkylborylene Complexes  
*Organometallics* **2014**, 33, 3877–3881.
- [352] H. Braunschweig, R. D. Dewhurst, F. Hupp, C. Kaufmann, A. K. Phukan, C. Schneider, Q. Ye  
Gauging metal Lewis basicity of zerovalent iron complexes *via* metal-only Lewis pairs  
*Chem. Sci.* **2014**, 5, 4099–4104.
- [351] Y.-L. Rao, C. Hörl, H. Braunschweig, S. Wang  
Reversible Photochemical and Thermal Isomerization of Azaboratabisnorcaradiene to Azaborabenzotropilidene  
*Angew. Chem.* **2014**, 126, 9232–9263; *Angew. Chem. Int. Ed.* **2014**, 53, 9086–9089.
- [350] H. Braunschweig, Q. Ye, A. Vargas, R. D. Dewhurst, F. Hupp  
Complete and Partial 1,2-Additions across Transition Metal-Boron Double Bonds  
*J. Am. Chem. Soc.* **2014**, 136, 9560–9563.
- [349] F. Holzmeier, M. Lang, P. Hemberger, A. Bodi, M. Schäfer, R. D. Dewhurst, H. Braunschweig, I. Fischer  
Photoionization and Pyrolysis of a 1,4-Azaborinine: Retro-Hydroboration in the Cation and Identification of Novel Organoboron Ring Systems  
*Chem. Eur. J.* **2014**, 20, 9683–9692.
- [348] P. Bissinger, H. Braunschweig, A. Damme, I. Krummenacher, A. K. Phukan, K. Radacki, S. Sugawara  
Isolation of a Neutral Boron-Containing Radical Stabilized by a Cyclic (Alkyl)(Amino)Carbene  
*Angew. Chem.* **2014**, 126, 7488–7491; *Angew. Chem. Int. Ed.* **2014**, 53, 7360–7363.
- [347] J. Böhnke, H. Braunschweig, W. C. Ewing, C. Hörl, T. Kramer, I. Krummenacher, J. Mies, A. Vargas  
Diborabutatriene: An Electron-Deficient Cumulene  
*Angew. Chem.* **2014**, 126, 9228–9231; *Angew. Chem. Int. Ed.* **2014**, 53, 9082–9085.
- [346] H. Braunschweig, C. Hörl, L. Mailänder, K. Radacki, J. Wahler  
Antiaromaticity to Aromaticity: From Boroles to 1,2-Azaborinines by Ring Expansion with Azides  
*Chem. Eur. J.* **2014**, 20, 9858–9861.
- [345] S. Bertsch, H. Braunschweig, R. D. Dewhurst, K. Radacki, C. Saalfrank, B. Wennemann, Q. Ye  
Partially and Fully Reversible Solvation-Controlled Borylene Swapping and Metal-Only Lewis Pair Formation  
*Organometallics* **2014**, 33, 3649–3651.
- [344] H. Braunschweig, R. D. Dewhurst, K. Radacki, C. W. Tate, A. Vargas  
Trihapto Ligation of a Borirene to a Single Metal Atom: A Heterocyclic Analogue of the  $\eta^3$ -Cyclopropenyl Ligand  
*Angew. Chem.* **2014**, 126, 6378–6381; *Angew. Chem. Int. Ed.* **2014**, 53, 6263–6266.
- [343] R. Bertermann, H. Braunschweig, R. D. Dewhurst, C. Hörl, T. Kramer, I. Krummenacher  
Evidence for Extensive Single-Electron-Transfer Chemistry in Boryl Anions: Isolation and Reactivity of a Neutral Borole Radical  
*Angew. Chem.* **2014**, 126, 5557–5561; *Angew. Chem. Int. Ed.* **2014**, 53, 5453–5457.

- [342] H. Braunschweig, P. Bissinger, A. Damme, T. Kupfer, I. Krummenacher, A. Vargas  
Boron Radical Cations from the Facile Oxidation of Electron-Rich Diborenes  
*Angew. Chem.* **2014**, *126*, 5797–5801; *Angew. Chem. Int. Ed.* **2014**, *53*, 5689–5693.
- [341] T. Arnold, H. Braunschweig, A. Damme, C. Hörl, T. Kramer, I. Krummenacher, J. Mager  
Tin-bridged *ansa* Metallocenes of the Late Transition Metals Cobalt and Nickel: Preparation,  
Molecular and Electronic Structures, and Redox Chemistry  
*Organometallics* **2014**, *33*, 1659–1664.
- [340] R. Bertermann, H. Braunschweig, W. C. Ewing, T. Kramer, A. K. Phukan, A. Vargas, C.  
Werner  
Synthesis and characterization of a mercury-containing trimetalloboride  
*Chem. Commun.* **2014**, *50*, 5729–5732.
- [339] H. Braunschweig, T. Kramer, K. Radacki, R. Shang, E. Siedler, C. Werner  
Isolation of the key intermediates of base-promoted borylene–carbonyl coupling reactions  
*Chem. Sci.* **2014**, *5*, 2271–2276.
- [338] S. Bertsch, R. Bertermann, H. Braunschweig, A. Damme, R. D. Dewhurst, A. K. Phukan, C.  
Saalfrank, A. Vargas, B. Wennemann, Q. Ye  
Metal-Only Lewis Pairs by Reversible Insertion of Ruthenium and Osmium Fragments into  
Metal-Boron Double Bonds  
*Angew. Chem.* **2014**, *126*, 4326–4329; *Angew. Chem. Int. Ed.* **2014**, *53*, 4240–4243.
- [337] H. Braunschweig, A. Damme, R. D. Dewhurst, T. Kramer, I. Krummenacher, A. K. Phukan  
Short Survey of the Chemical Reduction Behavior of the Base-Stabilized Iron Dichloroboryl  
Complexes [(*η*<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)Fe(CO)<sub>2</sub>BCl<sub>2</sub>(LB)]  
*Organometallics* **2014**, *33*, 604–606.
- [336] H. Braunschweig, K. Geetharani, J. O. C. Jimenez-Halla, M. Schäfer  
Direct Synthetic Route to Functionalized 1,2-Azaborinines  
*Angew. Chem.* **2014**, *126*, 3568–3572; *Angew. Chem. Int. Ed.* **2014**, *53*, 3500–3504.
- [335] J. Brand, H. Braunschweig, F. Hupp, K. Radacki, S. S. Sen  
A B–C Double Bond Unit Coordinated to Platinum: An Alkylideneboryl Ligand that is  
Isoelectronic to Neutral Aminoborylene Ligands  
*Angew. Chem.* **2014**, *126*, 2273–2277; *Angew. Chem. Int. Ed.* **2014**, *53*, 2240–2244.
- [334] H. Braunschweig, R. D. Dewhurst, C. Hörl, A. K. Phukan, F. Pinzner, S. Ullrich  
Direct Hydroboration of B=B Bonds: A Mild Strategy for the Proliferation of B–B Bonds.  
*Angew. Chem.* **2014**, *126*, 3305–3308; *Angew. Chem. Int. Ed.* **2014**, *53*, 3241–3244.
- [333] H. Braunschweig, C. K. L. Brown, R. D. Dewhurst, J. O. C. Jimenez-Halla, T. Kramer, I.  
Krummenacher, B. Pfaffinger  
Boryl-Functionalized  $\sigma$ -Alkynyl and Vinylidene Rhodium Complexes: Synthesis and Electronic  
Properties  
*Chem. Eur. J.* **2014**, *20*, 1427–1433.
- [332] T. Arnold, H. Braunschweig, A. Damme, I. Krummenacher, K. Radacki  
Synthesis and Structure of Group IV Distanna[2]metallocenophanes  
*Organometallics* **2014**, *33*, 254–259.
- [331] H. Braunschweig, T. Dellermann, S. Stellwag-Konertz, J. Mies, K. Radacki, A. Vargas  
Strained *ansa* Half Sandwich Complexes of Ruthenium and Osmium and a Non-Iron-  
Metallopolymer by Ring-Opening Polymerization  
*Organometallics* **2014**, *33*, 1536–1539.
- [330] C. Nagel, S. McLean, R. K Poole, H. Braunschweig, T. Kramer, U. Schatzschneider  
Introducing [Mn(CO)<sub>3</sub>(tpa- $\kappa^3$ N)]<sup>+</sup> as a novel photoactivatable CO-releasing molecule with well-  
defined iCORM intermediates – synthesis, spectroscopy, and antibacterial activity  
*Dalton* **2014**, *43*, 9986–9997.
- [329] J. Brand, H. Braunschweig, S. S. Sen  
B=B and B $\equiv$ E (E = N and O) Multiple Bonds in the Coordination Sphere of Late Transition  
Metals  
*Acc. Chem. Res.* **2014**, *47*, 180–191.
- [328] H. Braunschweig, R. Bertermann, C. K. L. Brown, A. Damme, R. D. Dewhurst, C. Hoerl, T.  
Kramer, B. Pfaffinger, K. Radacki  
Diverse reactions of N-heterocyclic carbenes with an alkynylborane and isolation of a reactive  
zwitterionic borataallene  
*Chem. Commun.* **2014**, *50*, 97–99.

- [327] H. Braunschweig, J. Bauer, S. Bertsch, R. D. Dewhurst, K. Ferkinghoff, C. Hörl, K. Kraft, K. Radacki  
Hydridoborylene Complexes and Di-, Tri-, and Tetranuclear Borido Complexes with Hydride Ligands  
*Chem. Eur. J.* **2013**, *19*, 17608–17612.
- [326] H. Braunschweig, J. Maier, K. Radacki, J. Wahler  
Ring-Expansion of 7-Boranorbornadienes by Coordination with a N-Heterocyclic Carbene  
*Organometallics* **2013**, *32*, 6353–6359.
- [325] H. Braunschweig, F. Guethlein, L. Mailänder, T. B. Marder  
Synthesis of Catechol-, Pinacol-, and Neopentylglycolborane through the Heterogeneous Catalytic B–B Hydrogenolysis of Diboranes(4)  
*Chem. Eur. J.* **2013**, *19*, 14831–14835.
- [324] H. Braunschweig, K. Radacki, R. Shang  
 $\sigma$ -Coordination of metal-boryl bonds to gold(I)  
*Chem. Commun.* **2013**, *49*, 9905–9907.
- [323] P. Bissinger, H. Braunschweig, A. Damme, R. D. Dewhurst, K. Kraft, T. Kramer, K. Radacki  
Base-Stabilized Boryl and Cationic Haloborylene Complexes of Iron  
*Chem. Eur. J.* **2013**, *19*, 13402–13407.
- [322] H. Braunschweig, Q. Ye, A. Vargas, K. Radacki, A. Damme  
Phosphine-Triggered Co-catenation of :BR and CO on an Iron Atom  
*Angew. Chem.* **2013**, *125* 10851–10854; *Angew. Chem. Int. Ed.* **2013**, *52*, 10657–10660.
- [321] J. Bauer, H. Braunschweig, C. Hörl, K. Radacki, J. Wahler  
Synthesis of Zwitterionic Cobaltocenium Borate and Borata-alkene Derivatives from a Borole-Radical Anion  
*Chem. Eur. J.* **2013**, *19*, 13396–13401.
- [320] H. Braunschweig, A. Damme, C. Hörl, T. Kupfer, J. Wahler  
Si-H Bond Activation at the Boron Center of Pentaphenylborole  
*Organometallics* **2013**, *32*, 6800–6803.
- [319] H. Braunschweig, Q. Ye, A. Damme, K. Radacki  
Synthesis and structure of the first heterodinuclear bis(borylene) complexes  
*Chem. Commun.* **2013**, *49*, 7593–7595.
- [318] A. Rammo, I. Bejan, A. Meltzer, K. Radacki, H. Braunschweig, D. Scheschkewitz  
1,2-Disilabicyclo[1.1.1]pentan-4-ones from a Disilene and Acryloyl Chlorides  
*Austr. J. Chem.* **2013**, *66*, 1311–1314.
- [317] H. Braunschweig, V. Dyakonov, B. Engels, Z. Falk, C. Hörl, J. H. Klein, T. Kramer, H. Kraus, I. Krummenacher, C. Lambert, C. Walter  
Multiple Reduction of 2,5-Bis(boroly)thiophene: Isolation of a Negative Bipolaron by Comproportionation  
*Angew. Chem.* **2013**, *125*, 13088–13092; *Angew. Chem. Int. Ed.* **2013**, *52*, 12852–12855.
- [316] H. Braunschweig, R. D. Dewhurst, C. Hörl, K. Radacki, C. W. Tate, A. Vargas, Q. Ye  
Reductive Borylene-CO Coupling with a Bulky Arylborylene Complex  
*Angew. Chem.* **2013**, *125*, 10307–10310; *Angew. Chem. Int. Ed.* **2013**, *52*, 10120–10123.
- [315] P. Bissinger, H. Braunschweig, A. Damme, T. Kupfer, K. Radacki  
An Electron Precise, Tetrahedral  $\mu_3$  Boride Complex  
*Angew. Chem.* **2013**, *125*, 7176–7179; *Angew. Chem. Int. Ed.* **2013**, *52*, 7038–7041.
- [314] J. Bauer, H. Braunschweig, A. Damme, J. O. C. Jimenez-Halla, T. Kramer, K. Radacki, R. Shang, E. Siedler, Q. Ye  
Metathesis Reactions of a Manganese Borylene Complex with Polar Heteroatom-Carbon Double Bonds: A Pathway to Previously Inaccessible Carbene Complexes  
*J. Am. Chem. Soc.* **2013**, *135*, 8726–8734.
- [313] H. Braunschweig, A. Damme, R. D. Dewhurst, T. Kramer, T. Kupfer, K. Radacki, E. Siedler, A. Trumpp, K. Wagner, C. Werner  
Quaternizing Diboranes(4): Highly Divergent Outcomes and an Inorganic Wagner-Meerwein Rearrangement  
*J. Am. Chem. Soc.* **2013**, *135*, 8702–8707.

- [312] H. Braunschweig, F. Hupp, T. Kramer, J. Mager  
Structure and Reactivity of Distanna[2]metallocenophanes of Ruthenium and Osmium  
*Inorg. Chem.* **2013**, *52*, 9060–9065.
- [311] J. Bauer, H. Braunschweig, R. D. Dewhurst, K. Radacki  
Reactivity of Lewis Basic Platinum Complexes Towards Fluoroboranes  
*Chem. Eur. J.* **2013**, *19*, 8797–8805.
- [310] H. Braunschweig, A. Damme, T. Kupfer  
Diboran(4)ylplatinum(II) Complexes  
*Inorg. Chem.* **2013**, *52*, 7822–7824.
- [309] H. Braunschweig, P. Brenner, R. D. Dewhurst, K. Radacki  
A Base-Stabilized Iodoborylene Complex of Platinum(II)  
*Z. Naturforsch.* **2013**, 747–749.
- [308] H. Braunschweig, K. Radacki, Q. Ye  
Synthesis and Structure of a Carbene-Stabilized Boraallene Coordinated to Rhodium  
*Inorg. Chem.* **2013**, *52*, 5639–5641.
- [307] H. Braunschweig, A. Damme, T. Kupfer  
Conversion of *trans*-Diboran(4)yl Platinum Complexes into Their *cis*-Bisboryl Analogues  
*Chem. Eur. J.* **2013**, *19*, 14682–14686.
- [306] H. Braunschweig, F. Güthlein  
Transition-metal catalyzed synthesis of diboranes(4)  
*Eur. Pat. Appl.* **2013**, EP 2554547 A1 20130206.
- [305] T. Arnold, H. Braunschweig, J. O. C. Jimenez-Halla, K. Radacki, S. S. Sen  
Simultaneous Fragmentation and Activation of White Phosphorus  
*Chem. Eur. J.* **2013**, *19*, 9114–9117.
- [304] H. Braunschweig, A. Damme  
Thermodynamic control of oxidative addition and reductive elimination processes in *cis*-bis(dimethoxyboryl)-bis(tricyclohexylphosphine)platinum(II)  
*Chem. Commun.* **2013**, *49*, 5216–5218.
- [303] H. Braunschweig, I. Krummenacher, J. Wahler  
Free Boroles: the Effect of Antiaromaticity on their Physical Properties and Chemical Reactivity  
*Adv. Organomet. Chem.* **2013**, *61*, 1–53.
- [302] H. Braunschweig, P. Brenner, K. Radacki  
Wolfphos in Sheep's Clothing: The First Trinuclear Triboryl- And Other Boryl Platinum Complexes Featuring a Flexible Phosphine Ligand  
*Z. anorg. allg. Chem.* **2013**, *639*, 1129–1133.
- [301] G. Bringmann, G. Zhang, T. Büttner, G. Bauckmann, T. Kupfer, H. Braunschweig, R. Brun, V. Mudogo  
Jozimine A2: The First Dimeric Dioncophyllaceae-Type Naphthylisoquinoline Alkaloid, with Three Chiral Axes and High Antiplasmodial Activity  
*Chem. Eur. J.* **2013**, *19*, 916–923.
- [300] H. Braunschweig, R. D. Dewhurst, V. H. Gessner  
Transition Metal Borylene Complexes  
*Chem. Soc. Rev.*, **2013**, *42*, 3197–3208.
- [299] H. Braunschweig, A. Damme, T. Kupfer  
Synthesis of a bicyclic diborane by selective boron carbon bond formation  
*Chem. Commun.* **2013**, *49*, 2774–2776.
- [298] H. Braunschweig, P. Brenner, R. D. Dewhurst, J. O. C. Jimenez-Halla, T. Kupfer, D. Rais, K. Uttinger  
Maximizing Coordinative and Electronic Unsaturation: Three-Coordinate Dicationic Platinum Complexes  
*Angew. Chem.* **2013**, *125*, 3055–3058; *Angew. Chem. Int. Ed.* **2013**, *52*, 2981–2984.
- [297] H. Braunschweig, T. Dellermann, R. D. Dewhurst, W. C. Ewing, K. Hammond, J. O. C. Jimenez-Halla, T. Kramer, I. Krummenacher, J. Mies, A. K. Phukan, A. Vargas  
Metal-free binding and coupling of carbon monoxide at a boron–boron triple bond  
*Nature Chem.* **2013**, *5*, 1025–1028.



- [296] H. Braunschweig, C.-W. Chiu, D. Gamon, K. Größ, C. Hörl, T. Kupfer, K. Radacki, J. Wahler  
[Lewis Acid-Base Adducts of 1-Mesityl - and 1-Chloro -2,3,4,5-tetraphenylborole  
*Eur. J. Inorg. Chem.* **2013**, 15, 1525–1530.
- [295] T. Arnold, H. Braunschweig, F. Hupp, K. Radacki, S. S. Sen  
Reactions of a [1],[1]Disilamolybdenocenophane with Unsaturated Compounds  
*Eur. J. Inorg. Chem.* **2013**, 15, 5027–5032.
- [294] H. Braunschweig, A. Damme, R. D. Dewhurst, S. Ghosh, T. Kramer, B. Pfaffinger, K. Radacki, A. Vargas  
Electronic and Structural Effects of Stepwise Borylation and Quaternization on Borirene Aromaticity  
*J. Am. Chem. Soc.* **2013**, 135, 1903–1911.
- [293] H. Braunschweig, A. Damme, R. D. Dewhurst, T. Kramer, S. Östreicher, K. Radacki, A. Vargas  
Ditopic Ambiphilicity of an Anionic Dimetalloborylene Complex.  
*J. Am. Chem. Soc.* **2013**, 135, 2313–2320.
- [292] H. Braunschweig, R. D. Dewhurst  
Single, Double, Triple Bonds and Chains: The Formation of Electron-Precise B–B Bonds  
*Angew. Chem.* **2013**, 125 3658–3667; *Angew. Chem. Int. Ed.* **2013**, 52, 3574–3583.
- [291] H. Braunschweig, R. Bertermann, A. Damme, T. Kupfer  
A dinuclear platinum complex featuring the diboran(4)-1,2-diyl ligand in a  $\mu^2$ -bridging coordination mode  
*Chem. Commun.* **2013**, 49, 2439–2441.
- [290] H. Braunschweig, T. Herbst, K. Radacki, C. W. Tate, A. Vargas  
Cyclic (amino)(imino)carbene complexes by borylene transfer to isocyanides  
*Chem. Commun.* **2013**, 49, 1702–1704.
- [289] H. Braunschweig, K. Radacki, R. Shang, C. W. Tate  
Reversible Intramolecular Coupling of the Terminal Borylene and a Carbonyl Ligand of [Cp(CO)<sub>2</sub>Mn=B-tBu]  
*Angew. Chem.* **2013**, 125, 757–761; *Angew. Chem. Int. Ed.* **2013**, 52, 729–733.
- [288] H. Braunschweig, F. Breher, S. Capper, K. Dück, M. Fuß, J. O. C. Jimenez-Halla, I. Krummenacher, T. Kupfer, D. Nied, K. Radacki  
Heteroleptic [*n*]Chromoarenophanes: *ansa* Complexes Derived from [Cr( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)( $\eta^6$ -C<sub>6</sub>H<sub>6</sub>)]  
*Chem. Eur. J.* **2013**, 19, 270–281 (VIP).
- [287] H. Braunschweig, A. Damme, R. D. Dewhurst, A. Vargas  
Bond-strengthening  $\pi$  backdonation in a transition-metal  $\pi$ -diborene complex.  
*Nature Chem.* **2013**, 5, 115-121.

## 2012

- [286] A. Damme and H. Braunschweig  
Synthesis and characterization of diborane compounds  
*Acta Cryst.* (2012). A68, s251.
- [285] P. Brenner and H. Braunschweig  
The *trans*-influence of the boryl ligand in square-planar platinum(II) complexes  
*Acta Cryst.* (2012). A68, s77.
- [284] H. Braunschweig, A. Damme, J. O. C. Jimenez-Halla, C. Hörl, I. Krummenacher, T. Kupfer, L. Mailänder, K. Radacki  
1-Heteroaromatic-Substituted Tetraphenylboroles:  $\pi$ - $\pi$  Interactions Between Aromatic and Antiaromatic Rings Through a B–C Bond  
*J. Am. Chem. Soc.* **2012**, 134, 20169–20177.
- [283] H. Braunschweig, A. Damme, J. Mies, M. Schäfer  
Insertion of Chalcogens and Bis(*tert*-butylisonitril)palladium(0) into a Strained Ruthenium Half Sandwich Complex  
*Z. Naturforsch.* **2012**, 67b, 1173–1177.

- [282] H. Braunschweig, A. Damme, T. Kupfer  
Evidence for a Strong *trans* Influence of the Diboran(4)yl Ligand  
*Chem. Eur. J.* **2012**, *18*, 15927–15931 (VIP).
- [281] H. Braunschweig, C. Hörl, F. Hupp, K. Radacki, J. Wahler  
Borole-Derived Spirocyclic Tetraorganoborate  
*Organometallics* **2012**, *31*, 8463–8466.
- [280] B. Bagh, N. C. Breit, K. Harms, G. Schatte, I. J. Burgess, H. Braunschweig, J. Müller  
[1.1]Ferrocenophanes and Bis(ferrocenyl) Species with Aluminum and Gallium as Bridging Elements: Synthesis, Characterization, and Electrochemical Studies  
*Inorg. Chem.* **2012**, *51*, 11155–11167.
- [279] J. Bauer, H. Braunschweig, K. Radacki  
Transmetallation between Metal-Only Lewis Pairs: A new rhodium alane complex  
*Chem. Commun.* **2012**, *48*, 10407–10409.
- [278] H. Braunschweig, A. Damme, J. O. C. Jimenez-Halla, B. Pfaffinger, K. Radacki, J. Wolf  
Metal-Mediated Synthesis of 1,4-Di-*tert*-butyl-1,4-azaborine  
*Angew. Chem.* **2012**, *124*, 10177–10180; *Angew. Chem. Int. Ed.* **2012**, *51*, 10034–10037.
- [277] J. Bauer, H. Braunschweig, A. Damme, K. Radacki  
Reversible Insertion of Platinum into Coinage Group Metal–Halogen Bonds  
*Angew. Chem.* **2012**, *124*, 10173–10176; *Angew. Chem. Int. Ed.* **2012**, *51*, 10030–10033.
- [276] H. Braunschweig, C.-W. Chiu, A. Damme, B. Engels, D. Gamon, C. Hörl, T. Kupfer, I. Krummenacher, K. Radacki, C. Walter  
Oligo(borolyl)benzenes – Synthesis and Properties  
*Chem. Eur. J.* **2012**, *18*, 14292–14304.
- [275] H. Braunschweig, A. Damme, K. Hammond, J. Mager  
Synthesis and Structure of New [3]Silametallophenanes of Group 8 Metals  
*Organometallics* **2012**, *31*, 6317–6321.
- [274] P. Bissinger, H. Braunschweig, A. Damme, T. Kupfer, A. Vargas  
Base-Stabilized Diborenes: Selective Generation and  $\eta^2$  Side-on Coordination to Silver(I)  
*Angew. Chem.* **2012**, *124*, 10069–10073; *Angew. Chem. Int. Ed.* **2012**, 9931–9934.
- [273] H. Braunschweig, A. Damme, R.D. Dewhurst, F. Hupp, J. O.C. Jimenez-Halla, K. Radacki  
 $\sigma$ -Donor– $\sigma$ -acceptor plumblyene ligands: synergic  $\pi$ -donation between ambiphilic Pt(0) and Pb(II) fragments  
*Chem. Commun.* **2012**, *48*, 10410–10412.
- [272] N. Arnold, H. Braunschweig, A. Damme  
Bis[ $\mu$ -di(*isopropylphosphanido*)- $\kappa^2P:P$ ]bis[hydrido](triisopropyl-phosphane- $\kappa^1P$ )platinum(II)  
*Acta Cryst.* **2012**, *E68*, m808.
- [271] H. Braunschweig, Q. Ye, K. Radacki, A. Damme  
Borylene Transfer from an Iron Bis(borylene) Complex: Synthesis of 1,4-Diboracyclohexadiene and 1,4-Dibora-1,3-Butadiene Complexes  
*Angew. Chem.* **2012**, *124*, 7959–7962; *Angew. Chem. Int. Ed.* **2012**, *51*, 7839–7842.
- [270] H. Braunschweig, R. D. Dewhurst, K. Hammond, J. Mies, A. Vargas, K. Radacki  
Ambient-Temperature Isolation of a Compound with a Boron-Boron Triple Bond  
*Science* **2012**, *336*, 1420–1422.
- [269] H. Braunschweig, A. Damme, J. O. C. Jimenez-Halla, T. Kupfer, K. Radacki  
Phosphine Adducts of 1,2-Dibromo-1,2-dimesityldiborane(4): Between Bridging Halides and Rearrangement Processes  
*Angew. Chem.* **2012**, *124*, 6372–6376; *Angew. Chem. Int. Ed.* **2012**, *51*, 6267–6271.
- [268] H. Braunschweig, P. Brenner, R. D. Dewhurst, F. Güthlein, J. O. C. Jimenez-Halla, K. Radacki, J. Wolf, L. Zöllner  
Observation of Elementary Steps in the Catalytic Borane Dehydrocoupling Reaction  
*Chem. Eur. J.* **2012**, *18*, 8605–8609.
- [267] H. Braunschweig, A. Damme, D. Gamon, H. Kelch, I. Krummenacher, T. Kupfer, K. Radacki  
Synthesis, Coordination Behavior and Reduction Chemistry of Cymantrenyl-1,3-bis(2,3,4,5-tetraphenyl)borole  
*Chem. Eur. J.* **2012**, *18*, 8430–8436.

- [266] H. Braunschweig, Q. Ye, A. Vargas, R. D. Dewhurst, K. Radacki, A. Damme  
Controlled homocatenation of boron on a transition metal  
*Nature Chem.* **2012**, *4*, 563–567.
- [265] H. Braunschweig, C.-W. Chiu, D. Gamon, M. Kaupp, I. Krummenacher, T. Kupfer, R. Müller, K. Radacki,  
Synthesis, Structure and Reactivity of Borole-Functionalized Ferrocenes  
*Chem. Eur. J.* **2012**, *18*, 11732–11746.
- [264] J. Bauer, H. Braunschweig, R. D. Dewhurst  
Metal-Only Lewis Pairs with Transition Metal Lewis Bases  
*Chem. Rev.* **2012**, *112*, 4329–4346.
- [263] G. Hiltensperger, N. G. Jones, S. Niedermeier, A. Stich, J. Jung, S. Puhl, A. Damme, H. Braunschweig, L. Meinel, M. Engstler, U. Holzgrabe  
Synthesis and Structure-Activity Relationships of New Quinolone-type Molecules against *Trypanosoma brucei*  
*J. Med. Chem.* **2012**, *55*, 2538–2548.
- [262] K. H. Fischer, M. Schneider, I. Fischer, B. Pfaffinger, H. Braunschweig, B. Sztaray, A. Bodi  
Bonding in a Borylene Complex Investigated by Photoionization and Dissociative Photoionization  
*Chem. Eur. J.* **2012**, *18*, 4533–4540 (VIP).
- [261] N. Arnold, H. Braunschweig, P. Brenner, J. Oscar C. Jimenez-Halla, T. Kupfer, K. Radacki  
Reactivity of Boryl Complexes: Synthesis and Structure of New Neutral and Cationic Platinum Boryls and Borylenes  
*Organometallics* **2012**, *31*, 1897–1907.
- [260] H. Braunschweig, V. Dyakonov, J. O. C. Jimenez-Halla, K. Kraft, I. Krummenacher, K. Radacki, A. Sperlich, J. Wahler  
An Isolable Radical Anion Based on the Borole Framework  
*Angew. Chem.* **2012**, *124*, 3031–3034; *Angew. Chem. Int. Ed.* **2012**, *51*, 2977–2980.
- [259] H. Braunschweig, K. Radacki, Quing Ye  
High yield synthesis of a neutral and carbonyl-rich terminal arylborylene complex  
*Chem. Commun.* **2012**, *48*, 2701–2703.
- [258] J. Bauer, H. Braunschweig, K. Gruss, F. Hupp, T. Kramer  
New Metal-Only-Lewis-Pairs: Elucidating the Electronic Influence of *N* Heterocyclic Carbenes and Phosphines on the Dative Pt-Al Bond  
*Inorg. Chem.* **2012**, *51*, 5617–5626.
- [257] H. Braunschweig, C. Claes, F. Güthlein  
Dehydrocoupling of catecholborane catalyzed by group 4 compounds  
*J. Organomet. Chem.* **2012**, *706-707*, 144–145.
- [256] H. Braunschweig, M. Friedrich, K. Radacki, J. Wolf  
Synthesis and Reactivity of Palladium- and Platinum-Bridged Heterobimetallic [3]Trochrocenophanes  
*Organometallics* **2012**, *31*, 3027–3034.
- [255] H. Braunschweig, P. Brenner, R. D. Dewhurst, I. Krummenacher, B. Pfaffinger, A. Vargas  
Unsupported boron-carbon  $\sigma$ -coordination to platinum as an isolable snapshot of  $\sigma$ -bond activation  
*Nature Communications.*, **2012**, *3*, Article Number 872, DOI:10.1038/NCOMMS1884.
- [254] H. Braunschweig, R. Dörfler, K. Hammond, T. Kramer, J. Mies, K. Radacki, M. Schäfer  
Synthesis and Structure of Distanna and Tristanna Ansa Half-Sandwich Complexes of Ruthenium and Nickel  
*Inorg. Chem.* **2012**, *51*, 1225–1227.
- [253] Y. Kirchwehm, A. Damme, T. Kupfer, H. Braunschweig, A. Krüger  
Ortho-methylated Tribenzotriquinacenes—paving the way to curved carbon networks  
*Chem. Commun.* **2012**, *48*, 1502–1504.
- [252] H. Braunschweig, R. Dörfler, J. Mies, K. Radacki, M. Schmitt  
Iron *ansa* half sandwich complexes bearing a bridging distannadiyl moiety  
*J. Organomet. Chem.* **2012**, *697*, 26–30.
- [251] J. Bauer, H. Braunschweig, R. D. Dewhurst, K. Kraft, K. Radacki  
Monohaloboryls (BHX<sup>-</sup>) as Bridging Ligands: Observable Dinuclear  $\sigma$ -(Halo)boryl

Intermediates in the Synthesis of Metalloborylenes  
*Chem. Eur. J.* **2012**, *18*, 2327–2334.

- [250] H. Braunschweig, T. Kupfer  
[n]Borametalloarenophanes (n = 1, 2): Strained Systems with Uncommon Reactivity Patterns  
*Eur. J. Inorg. Chem.* **2012**, *14*, 1319–1332.
- [249] H. Braunschweig, R. Dewhurst, K. Kraft, S. Östreicher, K. Radacki  
Planar Four-Coordinate Boron: A Single, Flat Boron Atom as a Ligand for Four Metals  
*Angew. Chem.* **2012**, *124*, 2225–2228; *Angew. Chem. Int. Ed.* **2012**, *51*, 2183–2186.

## 2011

- [248] J. Bauer, H. Braunschweig, A. Damme, K. Größ, K. Radacki  
Extending unsupported metal-only Lewis pairs to palladium  
*Chem. Commun.* **2011**, *47*, 12783–12785.
- [247] H. Braunschweig  
Non-iron [n]Metalloarenophanes–Synthesis, Structure and Reactivity  
*Polymer Preprints*, **2011**, *52*, 867.
- [246] H. Braunschweig  
Non-iron [n]metalloarenophanes  
*ABSTR PAP AM CHEM S*: 242<sup>nd</sup> ACS Meeting, POLY-550, AUG 28–SEP 01 2011, **2011**.
- [245] P. Bissinger, H. Braunschweig, A. Damme, R. Dewhurst, T. Kupfer, K. Radacki, K. Wagner  
Generation of a Carbene-stabilized Bora-borylene and its Insertion into a C–H Bond  
*J. Am. Chem. Soc.* **2011**, *133*, 19044–19047.
- [244] H. Braunschweig, R. Dörfler, M. Friedrich, M. Kraft, A. Oechsner  
Catalytic Activity of [2]Borametalloarenophanes  
*Z. anorg. allg. Chem.* **2011**, *637*, 2125–2128.
- [243] H. Braunschweig, F. Güthlein  
Transition-Metal-Catalyzed Synthesis of Diboranes(4)  
*Angew. Chem.* **2011**, *123*, 12821–12824; *Angew. Chem. Int. Ed.* **2011**, *50*, 12613–12616.
- [242] H. Braunschweig, M. Drisch, M. Friedrich; T. Kupfer, K. Radacki  
Metal-Enriched [3]Trochrocenophanes: Bimetallic Metalloarenophanes by Coordination to Chelating Bisphosphanylenes  
*Organometallics* **2011**, *30*, 5202–5207.
- [241] H. Braunschweig, R. Bertermann, P. Brenner, M. Burzler, R. Dewhurst, K. Radacki, F. Seeler  
*trans*-[Pt(BCat')Me(PCy<sub>3</sub>)<sub>2</sub>]: An Experimental Case Study of Reductive Elimination Processes in Pt–Boryls through Associative Mechanisms  
*Chem. Eur. J.* **2011**, *17*, 11828–11837 (VIP).
- [240] H. Braunschweig, R. Dörfler, J. Mies, A. Oechsner  
Sterically Demanding Hetero-Substituted [2]Borametalloarenophanes of Group IV Metals: Synthesis, Structure and Reactivity  
*Chem. Eur. J.* **2011**, *17*, 12101–12107.
- [239] H. Braunschweig, T. Kupfer  
Recent developments in the chemistry of antiaromatic boroles  
*Chem. Commun.* **2011**, *47*, 10903–10914.
- [238] J. Bauer, H. Braunschweig, K. Kraft, K. Radacki  
Oxidative Addition of Boron Trifluoride to a Transition Metal  
*Angew. Chem.* **2011**, *123*, 10641–10644; *Angew. Chem. Int. Ed.* **2011**, *50*, 10457–10460.
- [237] H. Braunschweig, A. Damme, T. Kupfer  
Unexpected Bonding Mode of the Diboran(4)yl Ligand: Combining the Boryl Motif with a Dative Pt–B Interaction  
*Angew. Chem.* **2011**, *123*, 7317–7320; *Angew. Chem. Int. Ed.* **2011**, *50*, 7179–7182.
- [236] H. Braunschweig, C.-W. Chiu, A. Damme, K. Ferkinghoff, K. Kraft, K. Radacki, J. Wahler  
Unwinding Antiaromaticity in 1-Bromo-2,3,4,5-tetraphenylborole  
*Organometallics* **2011**, *30*, 3210–3216.
- [235] M. M. Safont-Sempere, P. Osswald, M. Stolte, M. Grüne, M. Renz, M. Kaupp, K. Radacki, H. Braunschweig, F. Würthner

- Impact of Molecular Flexibility on Binding Strength and Self-Sorting of Chiral  $\pi$ -Surfaces  
*J. Am. Chem. Soc.* **2011**, *133*, 9580-9591.
- [234] C. J. Adams, H. Braunschweig, M. Fuß, K. Kraft, T. Kupfer, I. Manners, K. Radacki, G. R. Whittell  
Syntheses of Group 4 *ansa*-Trovacene Complexes and Conversion of [1]Silatrovacenophanes into Paramagnetic Metallopolymers by Ring-Opening Polymerization  
*Chem. Eur. J.* **2011**, *17*, 10379-10387.
- [233] H. Braunschweig, A. Damme, D. Gammon, T. Kupfer, K. Radacki  
Synthesis and Coordination Chemistry of 1-Cymantrenyl-2,3,4,5-tetraphenyl borole  
*Inorg. Chem.* **2011**, *50*, 4250-4252.
- [232] F. Bauer, H. Braunschweig, K. Größ, T. Kupfer  
Diboration of Dialkynes with [2]Boraferrocenophanes  
*Organometallics* **2011**, *30*, 2869-2884.
- [231] T. Arnold, H. Braunschweig, K. Größ  
*cyclo*-Tri- $\mu$ -oxido-tris{[( $\eta^5$ , $\eta^5$ -1,2-bis(cyclopentadienyl)-1,1,2,2-tetramethyldisilane]zirconium(IV))}: a trimeric disila-bridged oxidozirconocene  
*Acta Cryst.* **2011**, *E67*, m391.
- [230] J. Pfister, C. Schon, W. Roth, C. Kaiser, C. Lambert, K. Größ, H. Braunschweig, I. Fischer, R. F. Fink, B. Engels  
Paracyclophanes as Model Compounds for Strongly Interacting  $\pi$ -Systems, Part 3: Influence of the Substitution Pattern on Photoabsorption Properties  
*J. Phys. Chem.* **2011**, *115*, 3583-3591.
- [229] H. Braunschweig, Q. Ye, A. Damme, T. Kupfer, K. Radacki, and J. Wolf  
Synthesis of 1-Aza-2-borabutatriene Rhodium Complexes by Thermal Borylene Transfer from [(OC)<sub>5</sub>Mo=BN(SiMe<sub>3</sub>)<sub>2</sub>]  
*Angew. Chem.* **2011**, *123*, 9634-9638; *Angew. Chem. Int. Ed.* **2011**, *50*, 9462-9466.
- [228] H. Braunschweig, M. Fuß, T. Kupfer, K. Radacki  
Selective Dilithiation of [Ti( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)( $\eta^8$ -C<sub>8</sub>H<sub>8</sub>)] and Subsequent Conversion into Neutral and Cationic *ansa*-Complexes  
*J. Am. Chem. Soc.* **2011**, *133*, 5780-5783.
- [227] H. Braunschweig, M. Friedrich, T. Kupfer, K. Radacki  
Heteroleptic [1]zirconametalloarenophanes: potential precursors to metal-enriched metallopolymers  
*Chem. Commun.* **2011**, *47*, 3998-4000.
- [226] H. Braunschweig, S. Ghosh, T. Kupfer, K. Radacki, J. Wahler  
High-Yield Synthesis of a Hybrid 2,3,4,5-Tetracarba-1,6-*nido*-hexaborane(6) Cluster with an *exo*-Polyhedral Boracycle  
*Chem. Eur. J.* **2011**, *17*, 4081-4084.
- [225] H. Braunschweig, Q. Ye, K. Radacki, T. Kupfer  
Reactivity of a platinum-substituted borirene  
*J. Chem. Soc., Dalton Trans.* **2011**, *40*, 3421-3760.
- [224] P. Bissinger, H. Braunschweig, K. Kraft, T. Kupfer  
Trapping the Elusive Parent Borylene  
*Angew. Chem.* **2011**, *123*, 4801-4804; *Angew. Chem. Int. Ed.* **2011**, *50*, 4704-4707.
- [223] K. K. Pandey, H. Braunschweig, M. Forster, K. Größ, K. Radacki  
Carbonyl and Fluoroborylene Complexes of Platinum(0): Synthesis and Structure of [(Cy<sub>3</sub>P)<sub>2</sub>Pt(CO)] and [(Cy<sub>3</sub>P)<sub>2</sub>Pt(CO)<sub>2</sub>]; DFT Study of [(Me<sub>3</sub>P)<sub>2</sub>PtL] and [(Me<sub>3</sub>P)<sub>2</sub>PtL<sub>2</sub>] (L = CO, BF)  
*Inorg. Chem.* **2011**, *50*, 1816-1819.
- [222] H. Braunschweig, R. Dörfler, K. Größ, K. Radacki  
Synthesis and Reactivity of a Dilithiated Molybdenum Half-Sandwich Complex  
*Z. anorg. allg. Chem.* **2011**, *637*, 381-385.
- [221] H. Braunschweig, K. Größ  
Synthesis and Structural Characterization of the Dinuclear Beryllium Species [Be<sub>2</sub>Cl<sub>2</sub>(m-Cl)<sub>2</sub>(PCy<sub>3</sub>)<sub>2</sub>]  
*Z. Naturforsch.* **2011**, *66b*, 55-57.
- [220] K. Ansorg, H. Braunschweig, C.-W. Chiu, B. Engels, D. Gamon, M. Hügel, T. Kupfer, K. Radacki

- The Pentaphenylborole–2,6-Lutidine Adduct: A System with Unusual Thermo- and Photochromic Properties  
*Angew. Chem.* **2011**, *123*, 2885–2888; *Angew. Chem. Int. Ed.* **2011**, *50*, 2833–2836.
- [219] K. K. Pandey, H. Braunschweig, A. Lledós  
Nature of Bonding in Terminal Borylene, Alkyne and Gallylene complexes of Vanadium and Niobium  $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\text{M}(\text{ENR}_2)]$  (M = V, Nb; E = B, Al, Ga; R = CH<sub>3</sub>, SiH<sub>3</sub>, CMe<sub>3</sub>, SiMe<sub>3</sub>): A DFT Study  
*Inorg. Chem.* **2011**, *50*, 1402–1410.
- [218] H. Braunschweig, R. Dörfler, K. Größ, J. Köhler, K. Radacki  
Insertion vs. Ligand Exchange: The Reactivity of Distanna-ansa-Half Sandwich Complexes towards Isocyanide and Phosphine Complexes of Nickel and Palladium  
*Organometallics* **2011**, *30*, 305–312.
- [217] F. Bauer, H. Braunschweig, K. Größ, K. K. Pandey  
Unexpected Generation of Diastereomers by Double Diboration of a Dialkyne  
*Chem. Eur. J.* **2011**, *17*, 5230–5233.
- [216] H. Braunschweig, R. D. Dewhurst  
Transition metals as Lewis bases: “Z-type” boron ligands and metal-to-boron dative bonding  
*J. Chem. Soc. Dalton Trans.* **2011**, *40*, 549–558.
- [215] H. Braunschweig, M. Gross, K. Kraft  
Synthesis and reactivity of [2]disilaniobocenophanes  
*J. Organomet. Chem.* **2011**, *696*, 568–571.
- [214] H. Braunschweig, R. D. Dewhurst, K. Kraft, K. Radacki  
Borido complexes via intermetallic metalloborylene transfer  
*Chem. Commun.* **2011**, *47*, 9900–9902.
- [213] H. Braunschweig, C.-W. Chiu, T. Kupfer, K. Radacki  
NHC-Stabilized 1-Hydro-1*H*-borole and Its Nondegenerate Sigmatropic Isomers  
*Inorg. Chem.* **2011**, *50*, 4247–4249.
- [212] H. Braunschweig, P. Brenner, Q. Ye, K. Radacki, G. Frenking, S. De  
Borylene-Based Functionalization of Iron-Alkynyl-σ-Complexes and Stepwise Reversible Metal-Boryl-to-Borirene Transformation: Synthesis, Characterization and Density Functional Theory Studies  
*Inorg. Chem.* **2011**, *50*, 62–71.
- [211] K. K. Pandey, H. Braunschweig  
DFT Study on the Alkylborylene and Haloborylene Complexes of Manganese and Rhenium: Structure and Bonding Energy Analysis in  $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{M}(\text{BR})]$  and  $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{M}(\text{BX})]$  (M = Mn, Re; R = Me, Et, <sup>i</sup>Pr, <sup>t</sup>Bu; X = F, Cl, Br, I)  
*Eur. J. Inorg. Chem.* **2011**, *13*, 2045–2056.
- [210] H. Braunschweig, P. Cogswell, K. Schwab  
Synthesis, Structure and Reactivity of Complexes Containing a Transition Metal-Bismuth Bond  
*Coord. Chem. Rev.* **2011**, *255*, 101–117.

## 2010

- [209] H. Braunschweig, A. Damme  
1,2-Bis(dimethylamino)-1,2-bis(2,4,6-triisopropylphenyl)diborane(4)  
*Acta Cryst.* **2010**, *E66*, o3367.
- [208] H. Braunschweig, J. Mies, R. Dörfler, K. Hammond, K. Radacki  
Synthesis and Structure of Trisila-bridged ansa Half-sandwich Complexes of Group 6 Metals  
*Eur. J. Inorg. Chem.* **2010**, 5383–5385.
- [207] P. Bissinger, H. Braunschweig, T. Kupfer, K. Radacki  
Monoborane NHC Adducts in the Coordination Sphere of Transition Metals  
*Organometallics* **2010**, *29*, 3987–3990.
- [206] H. Braunschweig, A. Damme, T. Kupfer  
New [2]Boraferrocenophane and Diferrocenyldiborane(4) Derivatives  
*Eur. J. Inorg. Chem.* **2010**, *28*, 4423–4426.

- [205] H. Braunschweig, K. Kraft, T. Kupfer, E. Siedler  
A Manganese- $\sigma$ -Borane Complexes of Dihaloboranes  
*Z. anorg. allg. Chem.* **2010**, 636, 2565–2567.
- [204] H. Braunschweig, F. Breher, C.-W. Chiu, D. Gamon, D. Nied, K. Radacki  
Reduction Chemistry of Ferrocenylborole  
*Angew. Chem.* **2010**, 122, 9159–9162; *Angew. Chem. Int. Ed.* **2010**, 49, 8975–8978.
- [203] H. Braunschweig, P. Brenner, M. Gross, K. Radacki  
Reactivity of [1],[1]Disilamolybdenocenophane towards zerovalent Platinum Complexes  
*J. Am. Chem. Soc.* **2010**, 132, 11343–11349.
- [202] H. Braunschweig, C.-W. Chiu, J. Wahler, K. Radacki, T. Kupfer  
Chemical Reduction and Dimerization of 1-Chloro-2,3,4,5-tetraphenylborole  
*Chem. Eur. J.* **2010**, 16, 12229–12239.
- [201] H. Bera, H. Braunschweig, A. Oechsner, R. Sigritz, F. Seeler  
Synthesis of a distanna [2]ferrocenophane and reactivity of [2]ferrocenophanes towards elemental sulfur and selenium  
*J. Organomet. Chem.* **2010**, 695, 2609–2613.
- [200] H. Braunschweig, M. Fuß, S. K. Mohapatra, K. Kraft, T. Kupfer, M. Lang, K. Radacki, C. G. Daniliuc, P. G. Jones, M. Tamm  
Synthesis and Reactivity of Boron-, Silicon-, and Tin-Bridged *ansa*-Cyclopentadienyl–Cycloheptatrienyl Titanium Complexes (Troticenophanes)  
*Chem. Eur. J.* **2010**, 16, 11732–11743.
- [199] H. Braunschweig, P. Brenner, P. Cogswell, K. Kraft, K. Schwab  
Oxidative addition of the bismuth-chloride bond: synthesis and structure of *trans*-[PtCl(PCy<sub>3</sub>)<sub>2</sub>{BiCl<sub>2</sub>}]  
*Chem. Commun.* **2010**, 7894–7896.
- [198] H. Braunschweig, F. Matz, K. Radacki, A. Schneider  
Reactivity of a Platinum Iminoboryl Complex towards Element-Hydrogen Bonds of Opposing Polarity  
*Organometallics* **2010**, 29, 3457–3462.
- [197] S. Bertsch, H. Braunschweig, B. Christ, M. Forster, K. Schwab, K. Radacki  
Towards Homoleptic Borylene Complexes – Incorporation of two Borylene Ligands into a Mononuclear Iridium Species  
*Angew. Chem.* **2010**, 122, 9707–9710; *Angew. Chem. Int. Ed.* **2010**, 49, 9517–9520.
- [196] H. Braunschweig, K. Radacki, A. Schneider  
Reactivity of an oxoboryl complex toward fluorinated aryl boron reagents  
*Chem. Commun.* **2010**, 6473–6475.
- [195] H. Braunschweig, K. Kraft, S. Östreicher, K. Radacki, F. Seeler  
Neutral and Anionic Transition-Metal-Base-Stabilized Metalloborylene Complexes  
*Chem. Eur. J.* **2010**, 16, 10635–10637 (VIP).
- [194] J. Bauer, H. Braunschweig, P. Brenner, K. Kraft, K. Radacki, K. Schwab  
Late Transition Metal Complexes as Tunable Lewis-bases  
*Chem. Eur. J.* **2010**, 16, 11985–11992.
- [193] K. K. Pandey, P. Patidara, H. Braunschweig  
Structure and Bonding Energy Analysis of M-Ga Bonds in Dihalogallyl Complexes [X(PMe<sub>3</sub>)<sub>2</sub>M(GaX<sub>2</sub>)] (M = Ni, Pd, Pt; X = Cl, Br, I)  
*Inorg. Chem.* **2010**, 49, 6994–7000.
- [192] H. Bera, H. Braunschweig, R. Dörfler, T. Kupfer, K. Radacki, F. Seeler  
Half-sandwich Tungsten Complexes with Metal- and  $\eta^5$ -Cyclopentadienyl-bound Functional Stannyl Groups and their Transformation into *ansa* Complexes  
*Organometallics* **2010**, 29, 5111–5120.
- [191] H. Braunschweig, K. Kraft, K. Radacki, S. Stellwag  
Molybdenum-Boron Bonds in the Crystal – Structural Characterization of K[( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)Mo(CO)<sub>3</sub>] and [( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>) (OC)<sub>3</sub>Mo-B(NMe<sub>2</sub>)-B(NMe<sub>2</sub>)Br]  
*Z. Naturforsch.* **2010**, 65b, 1073–1076.
- [190] H. Braunschweig, K. Radacki, A. Schneider  
Cyclodimerization of an Oxoboryl Complex Induced by *trans* Ligand Abstraction  
*Angew. Chem.* **2010**, 122, 6130–6133; *Angew. Chem. Int. Ed.* **2010**, 49, 5993–5996 (VIP).

- [189] H. Braunschweig, R. Dewhurst  
Fashionably Late: Synthesis and Characterization of Transition Metal-Fluoroborylene Complexes  
*Angew. Chem.* **2010**, *122*, 3486 – 3488; *Angew. Chem. Int. Ed.* **2010**, *49*, 3412–3414.
- [188] H. Braunschweig, K. Radacki, A. Schneider  
Oxoboryl Complexes: Boron–Oxygen Triple Bonds stabilized in the Coordination Sphere of Platinum  
*Science*, **2010**, *328*, 345–347.
- [187] H. Braunschweig, R. D. Dewhurst, K. Wagner, K. Schwab  
[*N,N'*-bis[2,6-bis(1-methylethyl)phenyl]-*N,N*-dimethylguanidinato- $\kappa N'$ , $\kappa N''$ ]dibromoborane  
*Acta Cryst.* **2010**, *E66*, o610.
- [186] J. Köhler, S. Lindenmaier, I. Fischer, H. Braunschweig, T. Kupfer, D. Gamon, C.-W. Chiu  
Probing Antiaromaticity: Resonance Raman Investigation of a series of differently substituted boroles  
*J. Raman Spectrosc.* **2010**, *41*, 636-641; online DOI 10.1002/jrs.2491.
- [185] V. Alptüzün, M. Prinz, V. Hörr, J. Scheiber, K. Radacki, A. Fallarero, P. Vuorela, B. Engels, H. Braunschweig, E. Erciyas, U. Holzgrabe  
Interaction of (benzylidene-hydrazono)-1,4-dihydropyridines with beta-amyloid, acetylcholine and butyrylcholine esterases  
*Bioorg. Med. Chem.* **2010**, *18*, 2049–2059.
- [184] H. Braunschweig, C.-W. Chiu, K. Radacki, T. Kupfer  
Synthesis and Structure of a Carbene-Stabilized  $\pi$ -Boryl Anion  
*Angew. Chem.* **2010**, *122*, 2085–2088; *Angew. Chem. Int. Ed.* **2010**, *49*, 2041–2044 (VIP).
- [183] H. Braunschweig, R. D. Dewhurst, A. Schneider  
Electron-Precise Coordination Modes of Boron-Centered Ligands  
*Chem. Rev.* **2010**, *110*, 3924–3957.
- [182] F. Bauer, H. Braunschweig, K. Schwab  
1,1-Diboration of isocyanides with [2]borametalloarenophanes  
*Organometallics* **2010**, *29*, 934–938.
- [181] H. Braunschweig, C.-W. Chiu, K. Radacki, P. Brenner  
Platinum substituted boroles  
*Chem. Commun.* **2010**, 916–918.
- [180] H. Braunschweig, K. Radacki, K. Schwab  
An early-late heterobimetallic complex with an unsupported dative bond: synthesis and structure of [(Cy<sub>3</sub>P)<sub>2</sub>Pt–ZrCl<sub>4</sub>]  
*Chem. Commun.* **2010**, 913–915.
- [179] T. Arnold, H. Braunschweig, M. Gross, M. Kaupp, R. Müller, K. Radacki  
Electronic Structure and Reactivity of a [1],[1]Disilamolybdenocenophane  
*Chem. Eur. J.* **2010**, *16*, 3014–3020.
- [178] H. Braunschweig, T. Kupfer  
Non-Iron [n]Metalloarenophanes  
*Acc. Chem. Res.* **2010**, *43*, 455–465.

## 2009

- [177] S. Yu. Ketkov, N. A. Isachenkov, H. Braunschweig, T. Kupfer  
Electronic structures of mixed sandwich *ansa*-complexes of chromium as studied by gas-phase absorption spectroscopy and quantum chemistry  
*Russ.Chem.Bull., Int.Ed.*, **2009**, *58*, 682–690.
- [176] M. Breuning, T. Häuser, C. Mehler, C. Däschlein, C. Strohmam, A. Öchsner, H. Braunschweig  
Enantioselective synthesis of tricyclic amino acid derivatives based on a rigid 4-azatricyclo[5.2.1.0<sup>2,6</sup>]decane skeleton  
*Beilstein J. Org. Chem.* **2009**, *5*, No. 81. doi:10.3762/bjoc.5.81
- [175] U. Mayerhöffer, K. Deing, K. Gruß, H. Braunschweig, K. Meerholz, F. Würthner  
Outstanding Short-Circuit Currents in BHJ Solar Cells Based on NIR-Absorbing Acceptor-



- Substituted Squaraines  
*Angew. Chem.* **2009**, *121*, 8934–8937; *Angew. Chem. Int. Ed.* **2009**, *48*, 8776–8779.
- [174] H. Braunschweig, R. D. Dewhurst, K. Radacki, K. Wagner  
 Dichlorophenylborane-2-(dicyclohexylphosphino)-2',4',6'-triisopropylbiphenyl  
*Acta Cryst.* **2009**, *E65*, o2787.
- [173] H. Braunschweig, Q. Ye, K. Radacki  
 Borylene-based functionalization of Pt-alkynyl complexes by photochemical borylene transfer from [(OC)<sub>5</sub>Cr=BN(SiMe<sub>3</sub>)<sub>2</sub>]  
*Chem. Commun.* **2009**, 6979–6981.
- [172] H. Braunschweig, P. Brenner, R. D. Dewhurst, M. Kaupp, R. Müller, S. Östreicher  
 A Trimetallic Gold-Boride Complex with an Unprecedented Type of Fluxional Metall-Boron Bonding  
*Angew. Chem.* **2009**, *121*, 9916–9919; *Angew. Chem. Int. Ed.* **2009**, *48*, 9735–9738.
- [171] H. Braunschweig, C.W. Chiu, K. Radacki, D. Gamon  
 Synthesis and characterization of a platinum  $\eta^1$ -borole complex  
*ABSTR PAP AM CHEM S: 238<sup>th</sup> ACS Meeting, INOR-592, 16–20 AUG 2009*, **2009**.
- [170] H. Braunschweig, B. Grünewald, K. Schwab, R. Sigritz  
 1,1'-Diborylferrocenes from [2]Boraferrocenophanes by Boron–Boron Exchange  
*Eur. J. Inorg. Chem.* **2009**, 4860–4863.
- [169] H. Braunschweig, T. Herbst, K. Radacki, G. Frenking, M. A. Celik  
 Chemoselective Boron–Carbon Bond Cleavage by Hydroboration of Borirenes  
*Chem. Eur. J.* **2009**, *15*, 12099–12106.
- [168] H. Bera, H. Braunschweig, R. Dörfler, K. Hammond, A. Öchsner, K. Radacki, K. Uttinger  
 Synthesis, Structure and Reactivity of Disila- and Distanna *ansa* Half-Sandwich Complexes of Molybdenum and Tungsten  
*Chem. Eur. J.* **2009**, *15*, 12092–12098.
- [167] H. Braunschweig, R. D. Dewhurst  
 Borylene Complexes as Reagents in Organic and Organometallic Synthesis  
*Chim. Oggi-Chem. Today.* **2009**, *27*, 27–29.
- [166] H. Braunschweig, R. D. Dewhurst, K. Kraft, K. Radacki  
 Low-Coordinate Boride Ligands: A True Trimetalloborane  
*Angew. Chem.* **2009**, *121*, 5951–5954; *Angew. Chem. Int. Ed.* **2009**, *48*, 5837–5840.
- [165] H. Braunschweig, T. Herbst, D. Rais, S. Ghosh, T. Kupfer, K. Radacki, A. Crawford, R. Ward, T. Marder, I. Fernandez, G. Frenking  
 Borylene-Based Direct Functionalization of Organic Substrates: Synthesis, Characterization and Photophysical Properties of  $\pi$ -Conjugated Borirenes  
*J. Am. Chem. Soc.* **2009**, *131*, 8989–8999.
- [164] H. Braunschweig, B. Christ, M. Colling-Hendelkens, M. Forster, K. Götz, M. Kaupp, K. Radacki, F. Seeler  
 Synthesis, Structure, and Bonding of Novel Homodinuclear Cobalt and Nickel Borylene Complexes.  
*Chem. Eur. J.* **2009**, *15*, 7150–7155.
- [163] H. Braunschweig, P. Brenner, K. Radacki  
 A Bromide bridged Platinum(II) complex as Precursor to a neutral Platinum Compound with a Base-Stabilized Borylene Ligand  
*Z. anorg. allg. Chem.* **2009**, *635*, 2089–2092.
- [162] H. Braunschweig, T. Kupfer, J. Mies, A. Oechsner  
 Disfluorenyl[2]borametallocenophanes of Group 4 Metals: Synthesis and Structure  
*Eur. J. Inorg. Chem.* **2009**, 2844–2850.
- [161] R. Schmidt, J. Hak Oh, Y. Sun, M. Deppisch, A. Krause, K. Radacki, H. Braunschweig, M. Könemann, P. Erk, Z. Bao, F. Würthner  
 High-Performance Air-Stable n-Channel Organic Thin Film Transistors Based on Halogenated Perylene Bisimide Semiconductors  
*J. Am. Chem. Soc.* **2009**, *131*, 6215–6228.
- [160] H. Braunschweig, K. Gruss, K. Radacki  
 Complexes with Dative Bonds between d- and s-Block Metals: Synthesis and Structure of [(Cy<sub>3</sub>P)<sub>2</sub>Pt–Be(Cl)X] (X = Cl, Me)  
*Angew. Chem.* **2009**, *121*, 4303–4305; *Angew. Chem. Int. Ed.* **2009**, *48*, 4239–4241.

- [159] H. Braunschweig, R. D. Dewhurst  
Reversible  $\sigma$ -Borane-to-Borylene Transformation: A Little Something For Everyone  
*Angew. Chem.* **2009**, *121*, 1925–1927; *Angew. Chem. Int. Ed.* **2009**, *48*, 1893–1895.
- [158] H. Braunschweig, M. Forster, F. Seeler  
Synthesis and Structure of Heterodinuclear Rhodium and Iridium Borylene Complexes  
*Chem. Eur. J.* **2009**, *15*, 469–473.
- [157] H. Braunschweig, R. Dörfler, J. Mager, K. Radacki, F. Seeler  
Structural characterization of the anionic half sandwich complex  $[\text{Li}(\text{TMEDA})_2][\text{Mo}(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3]$  and its reactivity towards stannanes and distannanes  
*J. Organomet. Chem.* **2009**, *694*, 1134–1137.
- [156] H. Braunschweig, M. Fuß, K. Radacki, K. Uttinger  
Synthesis of chloro boryl complexes by oxidative addition of B-Cl bonds  
*Z. anorg. allg. Chem.* **2009**, *635*, 208–210.
- [155] K. Götz, M. Kaupp, H. Braunschweig, D. Stalke  
Comparative Analysis of Electron Density and Electron-Localization Function for Dinuclear Manganese Complexes with Bridging Boron- and Carbon-Centered Ligands  
*Chem. Eur. J.* **2009**, *15*, 623–632.

## 2008

- [154] G. Bringmann, D. Götz, T. Gulder, T. Gehrke, T. Bruhn, T. Kupfer, K. Radacki, H. Braunschweig, A. Heckmann, C. Lambert  
Axially Chiral  $\beta,\beta$ -Bisporphyrins: Synthesis and Configurational Stability Tuned by the Central Metals  
*J. Am. Chem. Soc.* **2008**, *130*, 17812–17825.
- [153] C. E. Anderson, H. Braunschweig, R. D. Dewhurst  
Borylene transfer from transition metal borylene complexes  
*Organometallics* **2008**, *27*, 6381–6389.
- [152] H. Braunschweig, K. Radacki, K. Uttinger  
Syntheses and structures of mono- and dinuclear cationic base-stabilized platinum borylene complexes  
*Organometallics* **2008**, *27*, 6005–6012.
- [151] H. Braunschweig, K. Gruss, K. Radacki  
The reactivity of  $\text{Pt}^0$  complexes towards gallium(III) halides: Synthesis of a platinum gallane complex and oxidative addition of gallium halides to  $\text{Pt}^0$   
*Inorg. Chem.* **2008**, *47*, 8595–8597.
- [150] H. Braunschweig, M. Gross, K. Radacki, C. Rothgaengel  
Intramolecular Activation of a Disila[2]molybdenocenophanedihydride: Synthesis and Structure of a [1],[1]Metalloarenophane  
*Angew. Chem.* **2008**, *120*, 10127–10129; *Angew. Chem. Int. Ed.* **2008**, *47*, 9979–9981.
- [149] H. Braunschweig, M. Gross, K. Hammond, M. Friedrich, M. Kraft, A. Oechsner, K. Radacki, S. Stellwag  
[2]Borametallophenanes of Group 4 Metals: Synthesis and Structure  
*Chem. Eur. J.* **2008**, *14*, 8972–8979.
- [148] H. Braunschweig, M. Kaupp, C. Lambert, D. Nowak, K. Radacki, S. Schinzel, K. Uttinger  
Synthesis and Structure of a Ferrocenyl Boron Dication  
*Inorg. Chem.* **2008**, *47*, 7456–7458.
- [147] H. Braunschweig, F. Breher, M. Kaupp, M. Groß, T. Kupfer, D. Nied, K. Radacki, S. Schinzel  
Synthesis, Crystal Structure, EPR and DFT studies and Redox Properties of [2]Tetramethyldisilacobaltocenophane  
*Organometallics* **2008**, *27*, 6427–6433.
- [146] H. Braunschweig, T. Kupfer  
Direct functionalization at the boron centre of antiaromatic chloroborole  
*Chem. Commun.* **2008**, 4487–4489.

- [145] H. Braunschweig, K. Radacki, K. Uttinger  
T-Shaped Platinum Boryl Complexes – Synthesis and Structure  
*Chem. Eur. J.* **2008**, *14*, 7858–7866.
- [144] H. Braunschweig, M. Kaupp, C. J. Adams, T. Kupfer, K. Radacki, S. Schinzel  
Synthesis, Reactivity and Electronic Structure of [n]Vanadoarenophanes: An Experimental and Theoretical Study  
*J. Am. Chem. Soc.* **2008**, *130*, 11376–11393.
- [143] H. Braunschweig, M. Burzler, R. D. Dewhurst, K. Radacki  
A Linear, Anionic Dimetalloborylene Complex  
*Angew. Chem.* **2008**, *120*, 5732–5735; *Angew. Chem. Int. Ed.* **2008**, *47*, 5650–5653.
- [142] H. Braunschweig, R. D. Dewhurst, T. Herbst, K. Radacki  
Reactivity of a Terminal Chromium Borylene Complex Towards Olefins: Insertion of a Borylenes into a C–H Bond  
*Angew. Chem.* **2008**, *120*, 6067–6069; *Angew. Chem. Int. Ed.* **2008**, *47*, 5978–5980.
- [141] H. Braunschweig, M. Forster, T. Kupfer, F. Seeler  
Borylene Transfer under Thermal Conditions for the Synthesis of Rhodium and Iridium Borylene Complexes  
*Angew. Chem.* **2008**, *120*, 6070–6072; *Angew. Chem. Int. Ed.* **2008**, *47*, 5981–5983.
- [140] H. Braunschweig, H. Green, K. Radacki, K. Uttinger  
Synthesis of g1-borazine complexes of palladium and platinum  
*J. Chem. Soc. Dalton Trans.* **2008**, 3531–3534.
- [139] H. Braunschweig, M. Burzler, R. Dewhurst, K. Radacki, F. Seeler  
Dimanganese Bridging Borylene Complexes and their Reactions with Unsaturated Pd(0) Complexes – Syntheses, Structures and Calculated Properties  
*Z. anorg. allg. Chem.* **2008**, *634*, 1875–1879.
- [138] H. Braunschweig, T. Kupfer, K. Radacki, A. Schneider, F. Seeler, K. Uttinger, H. Wu  
Synthesis and Reactivity Studies of Iminoboryl Complexes  
*J. Am. Chem. Soc.* **2008**, *130*, 7974–7983.
- [137] T. Auch, H. Braunschweig, K. Radacki, R. Sigrütz, U. Siemeling, S. Stellwag  
Synthesis and Crystal Structure of 1,3-Diphenyl-2-ferrocenyl-1,3,2-diazaborena-[3]-ferrocenophane  
*Z. Naturforsch.* **2008**, *63b*, 920–922.
- [136] H. Braunschweig, C. Kollann, F. Seeler  
Transition Metal Borylene Complexes  
*Struct. Bond.* **2008**, *130*, 1–27.
- [135] U. Flierler, M. Burzler, D. Leusser, J. Henn, H. Ott, H. Braunschweig, D. Stalke  
Electron Density Investigation of Metal-Metal Bonding in the Dinuclear “Borylene” Complex  $[\{\text{Cp}(\text{CO})_2\text{Mn}\}_2(\mu\text{-BtBu})]$   
*Angew. Chem.* **2008**, *120*, 4393–4397; *Angew. Chem. Int. Ed.* **2008**, *47*, 4321–4325.
- [134] H. Braunschweig, T. Kupfer  
Stoichiometric and Homogeneous-Catalytic Diboration of the N=N Double Bond of Azobenzene  
*J. Am. Chem. Soc.* **2008**, *130*, 4242–4243.
- [133] H. Braunschweig, K. Kraft, T. Kupfer, K. Radacki, F. Seeler  
 $\text{B}^+$  in the Coordination Sphere of Two Transition Metals  
*Angew. Chem.* **2008**, *120*, 5009–5011; *Angew. Chem. Int. Ed.* **2008**, *47*, 4931–4933.
- [132] H. Braunschweig, C. J. Adams, T. Kupfer, I. Manners, R. Richardson, G. R. Whittell  
Synthesis of a Paramagnetic Polymer by Ring-Opening Polymerization of a Strained [1]Vanadoarenophane  
*Angew. Chem.* **2008**, *120*, 3886–3889; *Angew. Chem. Int. Ed.* **2008**, *47*, 3826–3829, (VIP).
- [131] H. Braunschweig, K. Größ, K. Radacki, K. Uttinger  
Oxidative Addition of B–Br bonds to  $\text{Pd}^0$  – Synthesis and Structure of *trans*-Bromo(boryl)palladium Complexes  
*Eur. J. Inorg. Chem.* **2008**, 1462–1466.
- [130] H. Braunschweig, I. Fernandez, G. Frenking, T. Kupfer  
Structural Evidence for the Antiaromaticity in Free Boroles  
*Angew. Chem.* **2008**, *120*, 1977–1980; *Angew. Chem. Int. Ed.* **2008**, *47*, 1951–1954.

- [129] H. Braunschweig, R. Leech, D. Rais, K. Radacki, K. Uttinger  
Conversion of *trans*-Bromoboryl Platinum Complexes into their *cis*-Analogues upon Treatment with Chelating Bisphosphines  
*Organometallics* **2008**, 27, 418–422.
- [128] L. Apostolico, H. Braunschweig, A. G. Crawford, T. Herbst, D. Rais  
Group VI Metal aminoborylene complex-catalyzed demercuration reactions of bis(alkynyl)mercurials  
*Chem. Commun.* **2008**, 497–498.
- [127] H. Bera, H. Braunschweig, R. Dörfler, K. Radacki  
Synthesis of a bimetallic platinum–tungsten complex with a bridging I-diboranyl–oxycarbyne moiety  
*J. Chem. Soc., Dalton Trans.* **2008**, 440–443.

## 2007

- [126] H. Braunschweig, M. Groß, K. Radacki  
Synthesis, Molecular Structure and Reactivity of the First Strained [2]Silanickelocenophane  
*Organometallics* **2007**, 26, 6688–6690.
- [125] H. Braunschweig, M. Burzler, K. Radacki, F. Seeler  
Borylene Metathesis through [2+2] Cycloaddition  
*Angew. Chem.* **2007**, 119, 8217–8219; *Angew. Chem. Int. Ed.* **2007**, 46, 8071–8073.
- [124] H. Braunschweig, K. Radacki, D. Rais, A. Schneider, F. Seeler  
Reactivity of a Platinum Iminoboryl Complex toward Lewis and Brønsted Acids  
*J. Am. Chem. Soc.* **2007**, 129, 10350–10351.
- [123] H. Braunschweig, K. Radacki, K. Uttinger  
Syntheses of Mono- and Dinuclear Diiodoboryl Complexes of Platinum  
*Inorg. Chem.* **2007**, 46, 8796–8800.
- [122] P. Bissinger, H. Braunschweig, F. Seeler  
Syntheses and Structure of Bridged Haloborylene Complexes  
*Organometallics* **2007**, 26, 4700–4701.
- [121] H. Braunschweig, K. Gruss, K. Radacki  
Interaction between d- and p-Metals: Synthesis and Structure of Platinum Alane Adducts  
*Angew. Chem.* **2007**, 119, 7929–7931; *Angew. Chem. Int. Ed.* **2007**, 46, 7782–7784.
- [120] S. Mathur, T. Rügamer, H. Braunschweig, G. D'Andola  
Investigations on Chemical Vapor Deposition of Magnesium-Boron-Containing Metal-Organic Precursors  
*Z. anorg. allg. Chem.* **2007**, 633, 2459–2462.
- [119] H. Braunschweig, T. Kupfer  
Transition-Metal Catalyzed Bis-Silylation of Propyne by [2]Chromoarenophanes  
*Organometallics* **2007**, 26, 4634–4638.
- [118] H. Braunschweig, M. Burzler, T. Kupfer, K. Radacki, F. Seeler  
Synthesis and Electronic Structure of a Terminal Alkylborylene Complex  
*Angew. Chem.* **2007**, 119, 7932–7934; *Angew. Chem. Int. Ed.* **2007**, 46, 7785–7787.
- [117] H. Braunschweig, T. Kupfer, M. Lutz, K. Radacki  
Ansa [1]Trochrocenophanes and Their Related Unstrained 1,1'-Disubstituted Counterparts: Synthesis and Electronic Structure  
*J. Am. Chem. Soc.* **2007**, 129, 8893–8906.
- [116] H. Braunschweig, P. Brenner, A. Müller, K. Radacki, D. Rais, K. Uttinger  
Experimental Studies on the *trans*-Influence of Boryl Ligands in Square-Planar Platinum(II) Complexes  
*Chem. Eur. J.* **2007**, 13, 7171–7176.
- [115] H. Braunschweig, K. Radacki, K. Uttinger  
Synthesis and Characterization of Semi-Bridging Molybdenum Borylene Complexes  
*Eur. J. Inorg. Chem.* **2007**, 4350–4356.

- [114] H. Braunschweig, H. Bera, S. Stellwag, S. Schwarz, Y. Hemberger, K. Radacki  
 [{Br<sub>2</sub>B(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>)Mn(CO)<sub>3</sub>] – A versatile Precursor for Boron-based Ligands  
*Z. anorg. allg. Chem.* **2007**, 633, 2314–2320.
- [113] H. Braunschweig, M. Forster, K. Radacki, F. Seeler, G. R. Whittell  
 Stepwise Intermetal Borylene Transfer: Synthesis and Structure of Mono- and Dinuclear  
 Cobalt Borylene Complexes  
*Angew. Chem.* **2007**, 119, 5304–5306; *Angew. Chem. Int. Ed.* **2007**, 46, 5212–5214 (VIP).
- [112] H. Braunschweig, H. Bera, B. Geibel, R. Dörfler, D. Götz, F. Seeler, T. Kupfer  
 Synthesis of Half-sandwich Tungsten Chlorogermyl and Chlorostannyl Complexes  
*Eur. J. Inorg. Chem.* **2007**, 3416–3424.
- [111] H. Braunschweig, G. Frenking, K. Radacki, F. Seeler, I. Fernández  
 Synthesis and Electronic Structure of a Ferroborirene  
*Angew. Chem.* **2007**, 119, 5307–5310; *Angew. Chem. Int. Ed.* **2007**, 46, 5215–5218.
- [110] H. Braunschweig, N. Buggisch, U. Englert, M. Homberger, T. Kupfer, D. Leusser, M. Lutz, K.  
 Radacki  
 Dilithiation of Bis(benzene)molybdenum and Subsequent Isolation of a Molybdenum-  
 Containing Paracyclophane  
*J. Am. Chem. Soc.* **2007**, 129, 4840–4846.
- [109] H. Braunschweig, F. Seeler, R. Sigriz  
 Alternative synthesis and crystal structure of a [2]boraferrocenophane  
*J. Organomet. Chem.* **2007**, 692, 2354–2356.
- [108] H. Braunschweig, G.K.B. Clentsmith, S. Hess, T. Kupfer, K. Radacki  
 Interaction of Dilithiated Ferrocene with AlMe<sub>2</sub>Cl Reagents  
*Inorg. Chim. Acta* **2007**, 360, 1274–1277.
- [107] H. Braunschweig, K. Radacki, K. Uttinger  
 Synthesis and Structure of a Cationic Platinum Borylene Complex  
*Angew. Chem.* **2007**, 119, 4054–4057, *Angew. Chem. Int. Ed.* **2007**, 46, 3979–3982.
- [106] H. Braunschweig  
 Lithiumboryl – A Synthone for a Nucleophilic Boryl Anion  
*Angew. Chem.* **2007**, 119, 1990–1992; *Angew. Chem. Int. Ed.* **2007**, 46, 1946–1948.
- [105] B. Blank, H. Braunschweig, M. Colling-Hendelkens, C. Kollann, K. Radacki, D. Rais, K.  
 Uttinger, G. R. Whittell  
 Aminoborylene Complexes of Group 6 Elements and Iron: A Synthetic, Structural and  
 Quantum Chemical Study  
*Chem. Eur. J.*, **2007**, 13, 4770–4781.
- [104] H. Braunschweig, T. Kupfer, K. Radacki  
 Selective Dimetallation of [Mn(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)(η<sup>6</sup>-C<sub>6</sub>H<sub>6</sub>)]: Crystal Structure and Conversion to  
 Strained [η]Metalloarenophanes  
*Angew. Chem.* **2007**, 119, 1655–1658; *Angew. Chem. Int. Ed.* **2007**, 46, 1630–1633.

## 2006

- [103] G. D'Andola, H. Braunschweig, T. Welton  
 Organoborates as potential anions for novel ionic liquids  
*Proc. Electrochem. Soc.* **2006**, 2004–2024 (Molten Salts XIV), 556–563.
- [102] H. Braunschweig, T. Kupfer  
 Bis(η<sup>6</sup>-trimethylsilylbenzene)chromium(0)  
*Acta Cryst.* **2006**, E62, m3502–m3503.
- [101] H. Braunschweig, M. Kraft, F. Seeler  
 N,N-Diethylpyrrolidinium-pentachloro-tetrahydrofuranozirconate  
*Acta Cryst.* **2006**, E62, m3267–m3268.
- [100] H. Braunschweig  
 Functionalization of unsaturated organic substrates by borylene transfer  
*ABSTR PAP*, 232<sup>nd</sup> ACS National Meeting, INOR-414, 10 SEP, **2006**.

- [99] H. Braunschweig, T. Kupfer, M. Lutz, K. Radacki, F. Seeler, R. Sigriz  
Metal-Mediated Diboration of Alkynes with [2]Borametallophenanes under Stoichiometric, Homogeneous, and Heterogeneous Conditions  
*Angew. Chem.* **2006**, *118*, 8217–8220; *Angew. Chem. Int. Ed.* **2006**, *45*, 8048–8051 (VIP).
- [98] G. Bringmann, H. Scharl, K. Maksimenka, K. Radacki, H. Braunschweig, P. Wich, C. Schmuck  
Atropodistereoselective Cleavage of Configurationally Unstable Biaryl Lactones with Amino Acid Esters  
*Eur. J. Org. Chem.* **2006**, *19*, 4349–4361.
- [97] H. Braunschweig, K. Radacki, D. Rais, K. Uttinger  
Synthesis and Reactivity of Semi-bridging Borylene Complexes  
*Organometallics* **2006**, *25*, 5159–5164.
- [96] H. Braunschweig, K. Radacki, F. Seeler, G. R. Whittell  
Synthesis and Reactivity of Dihaloboryl Complexes  
*Organometallics* **2006**, *25*, 4605–4610.
- [95] H. Braunschweig, M. Lutz, K. Radacki, A. Schaumlöffel, F. Seeler, C. Unkelbach  
Facile Syntheses of Trovacene, the Formation of [n]Boratrovacenophanes (n = 1, 2) and Reactivity Towards [Pt(PEt<sub>3</sub>)<sub>4</sub>]  
*Organometallics* **2006**, *25*, 4433–4435.
- [94] H. Braunschweig, M. Kraft, S. Schwarz, F. Seeler, S. Stellwag  
Preparation and Structural Characterization of Transition Metal Complexes Featuring the Cymantrenyl(bromo)boryl Ligand  
*Inorg. Chem.* **2006**, *45*, 5275–5277.
- [93] H. Braunschweig, C. Burschka, M. Burszler, S. Metz, K. Radacki  
Molecular Structure and Cluster Formation Reaction of a *tert*-Butylborylene Complex  
*Angew. Chem.* **2006**, *118*, 4458–4461; *Angew. Chem. Int. Ed.* **2006**, *45*, 4352–4355.
- [92] H. Braunschweig, C. Kollann, D. Rais  
Transition Metal Complexes of Boron – New Insights and Novel Coordination Modes  
*Angew. Chem.* **2006**, *118*, 5380–5400; *Angew. Chem. Int. Ed.* **2006**, *45*, 5254–5274. (VIP).
- [91] H. Braunschweig, M. Kraft, K. Radacki, S. Stellwag  
Piperidino-Substituted [1]Borametallophenanes. Synthesis, Reactivity, and Structure  
*Z. Naturforsch.* **2006**, *61b*, 509–516.
- [90] D. P. Zlotos, C. Traenkle, A. Abdelrahman, D. Guendisich, K. Radacki, H. Braunschweig, K. Mohr  
6H, 13H-Pyrazino[1,2-a;4,5-a]diindole analogs: Probing the pharmacophore for allosteric ligands of muscarinic M<sub>2</sub> receptors  
*Bioorganic & Medicinal Chemistry Letters*, **2006**, *16*(6), 1481–1485.
- [89] H. Braunschweig, M. Forster, K. Radacki  
Borylene Transfer under Thermal Conditions: Synthesis and Structure of a Tetra-rhodium Bisborylene Complex  
*Angew. Chem.* **2006**, *118*, 2187–2189; *Angew. Chem. Int. Ed.* **2006**, *45*, 2132–2134.
- [88] H. Braunschweig, H. Bera, D. Götz, K. Radacki  
Phosphine-Substituted Diborane(4)yl Complexes of Tungsten  
*Z. Naturforsch.* **2006**, *61b*, 29–32.
- [87] H. Braunschweig, K. Radacki, D. Rais, F. Seeler  
Boron in the Coordination Sphere of Three Transition-Metal Atoms: Syntheses and Structures of Metalloborylenes Stabilized by a Transition-Metal Base  
*Angew. Chem.* **2006**, *118*, 1087–1090; *Angew. Chem. Int. Ed.* **2006**, *45*, 1066–1069.
- [86] H. Braunschweig, F. M. Breitling, K. Kraft, M. Kraft, F. Seeler, S. Stellwag, K. Radacki  
Substituted Ferrocenylboranes – Potential Ligand Precursors for ansa-Metallophenanes, Constrained Geometry Complexes and ansa-Diamido Complexes  
*Z. anorg. allg. Chem.* **2006**, *632*, 269–278.
- [85] H. Braunschweig, K. Radacki, D. Rais, K. Uttinger  
Synthesis and Characterization of Palladium and Platinum Iminoboryl Complexes  
*Angew. Chem.* **2006**, *118*, 169–172; *Angew. Chem. Int. Ed.* **2006**, *45*, 162–165.
- [84] H. Braunschweig, F. M. Breitling  
Constrained geometry complexes – Synthesis and applications  
*Coord. Chem. Rev.* **2006**, *250*, 2691–2720.

- [83] H. Braunschweig, F. M. Breitling, C. Burschka, F. Seeler  
Derivatisation of boryl substituted titanium half-sandwich complexes – Molecular structures of  $[\text{Ti}\{\{\eta^5\text{-C}_5\text{H}_4\}\text{B}(\text{N}(\text{H})\text{tBu})\text{Cl}_2(\text{NMe}_2)\}]$  and  $[\{\text{TiCl}_2(\mu\text{-}\{\text{OB}(\text{NHMe}_2)\text{-}\eta^5\text{-C}_5\text{H}_4\})\}_2\text{-}\mu\text{-O}]$   
*J. Organomet. Chem.* **2006**, 691, 702–710.
- [82] H. Braunschweig, G. D'Andola, T. Welton, A. J. P. White  
Synthesis and Structure of Novel Organocycloborates  
*Chem. Eur. J.* **2006**, 12, 600–606.
- [81] A. Bartole-Scott, H. Braunschweig, T. Kupfer, M. Lutz, I. Manners, T. Nguyen, K. Radacki, F. Seeler  
Synthesis of *ansa*-[*n*]Silacyclopentadienyl-Cycloheptatrienyl-Chromium Complexes ( $n = 1, 2$ ): Novel Precursors for Polymers Bearing Chromium in the Backbone  
*Chem. Eur. J.* **2006**, 12, 1266–1273.

## 2005

- [80] H. Braunschweig, D. Rais  
Boron – A Meeting Point  
*Angew. Chem.* **2005**, 117, 8036–8038; *Angew. Chem. Int. Ed.* **2005**, 44, 7826–7828.
- [79] H. Braunschweig, T. Herbst, D. Rais, F. Seeler  
Synthesis of Borirenes by Photochemical Borylene-Transfer from  $[(\text{OC})_5\text{M}=\text{BN}(\text{SiMe}_3)_2]$  (M = Cr, Mo) to Alkynes  
*Angew. Chem.* **2005**, 117, 7627–7629; *Angew. Chem. Int. Ed.* **2005**, 44, 7461–7463 (VIP).
- [78] H. Braunschweig, F. M. Breitling, K. Radacki, F. Seeler  
Synthesis and molecular structure of boron-bridged constrained geometry complexes of zirconium and hafnium  
*J. Organomet. Chem.* **2005**, 690, 5000–5005.
- [77] H. Braunschweig, F. M. Breitling, F. Seeler  
*rac*-(*tert*-Butylamino)(diisopropylamino)(9-fluorenyl)borane  
*Acta Cryst.* **2005**, E61, 2303–2304.
- [76] H. Braunschweig, F. M. Breitling, F. Seeler  
*rac*-(Diisopropylamino)(1-indenyl)(isopropylamino)borane  
*Acta Cryst.* **2005**, E61, 2343–2344.
- [75] H. Braunschweig, K. Radacki, D. Rais, D. Scheschkewitz  
A T-Shaped Platinum(II) Boryl Complex as the Precursor to a Platinum Compound with a Base-Stabilized Terminal Borylene Ligand  
*Angew. Chem.* **2005**, 117, 5796–5799; *Angew. Chem. Int. Ed.* **2005**, 44, 5651–5654 (VIP & cover page).
- [74] H. Braunschweig, G. Whittell  
Boron as a Bridging Ligand  
*Chem. Eur. J.* **2005**, 11, 6128–6133.
- [73] H. Braunschweig, M. Kraft, K. Radacki, S. Stellwag  
[1]Borametallophenanes as Catalysts for Ethene Polymerization  
*Z. anorg. allg. Chem.* **2005**, 631, 2858–2866.
- [72] H. Braunschweig, D. Rais  
Reactivity of Terminal Transition Metal Borylene Complexes  
*Heteroatom Chem.* **2005**, 16, 566–571.
- [71] H. Braunschweig, M. Lutz, K. Radacki  
Synthesis of *ansa*-[2]Boracyclopentadienylcycloheptatrienylchromium and Its Reaction to the *ansa*-Platinabis(boryl) Complex by Oxidative Addition of the Boron–Boron Bond  
*Angew. Chem.* **2005**, 117, 5792–5796; *Angew. Chem. Int. Ed.* **2005**, 44, 5647–5651.
- [70] H. Braunschweig, M. Kraft, K. Radacki, S. Stellwag  
[1]Borahafnocenophanes: Synthesis, Structure and Catalytic Activity  
*Eur. J. Inorg. Chem.* **2005**, 2754–2759.
- [69] H. Braunschweig, D. Rais, K. Uttinger  
Terminal Borylene Complexes Stabilized by a Transition-Metal Base  
*Angew. Chem.* **2005**, 117, 3829–3832; *Angew. Chem. Int. Ed.* **2005**, 44, 3763–3766.

- [68] H. Braunschweig, C. Burschka, G. K. B. Clentsmith, T. Kupfer, K. Radacki  
Ferrocenylalanes: Solid State and Solution Structures of some Novel Aluminium-Bridged  
*ansa*-Ferrocenes  
*Inorg. Chem.* **2005**, *44*, 4906–4908.
- [67] H. Braunschweig, M. Groß, M. Kraft, M. O. Kristen, D. Leusser  
[2]Borametallophenanes of Zr and Hf: Synthesis, Structure and Polymerization Activity  
*J. Am. Chem. Soc.* **2005**, *127*, 3282–3283.
- [66] H. Braunschweig, K. Radacki, D. Scheschkewitz, G. R. Whittell  
Boron as a Bridging Ligand  
*Angew. Chem.* **2005**, *117*, 1685–1688; *Angew. Chem. Int. Ed.* **2005**, *44*, 1658–1660 (VIP).
- [65] H. Braunschweig, K. Radacki, D. Rais, F. Seeler, K. Uttinger  
Heterodinuclear Bridged Borylene Complexes  
*J. Am. Chem. Soc.* **2005**, *127*, 1386–1387.
- [64] H. Braunschweig, K. Radacki, D. Rais, G. R. Whittell  
A Boryl Bridged Complex: An Unusual Coordination Mode of the BR<sub>2</sub> Ligand  
*Angew. Chem.* **2005**, *117*, 1217–1219; *Angew. Chem. Int. Ed.* **2005**, *44*, 1192–1194 (VIP).

## 2004

- [63] H. Braunschweig, G. D'Andola, T. Welton  
Synthesis and characterization of novel organoborates *via* Grignards reagents *ABSTR PAP AM CHEM S 228<sup>th</sup> ACS Meeting, INOR-541, 22 AUG 04, 2004.*
- [62] H. Braunschweig, K. Radacki, D. Rais, F. Seeler  
Preparation and Structural Characterization of Transition Metal Complexes Featuring the Ferrocenyl(bromo)boryl ligand  
*Organometallics* **2004**, *23*, 5545–5549.
- [61] H. Braunschweig, K. Radacki, F. Seeler, G. R. Whittell  
Synthesis of [( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)Fe(CO)<sub>2</sub>BCl<sub>2</sub>-NC<sub>5</sub>H<sub>4</sub>-4-Me]: from [( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)Fe(CO)<sub>2</sub>BCl<sub>2</sub>]: First Preparation of a Lewis Acid–Base Adduct from a Boryl Complex  
*Organometallics* **2004**, *23*, 4178–4180.
- [60] H. Braunschweig, G. D'Andola, T. Welton, A. J. P. White  
Novel organocycloborates *via* Grignards reagents  
*Chem. Commun.* **2004**, 1738–1739.
- [59] H. Braunschweig, M. Homberger, C. Hu, X. Zheng, E. Gullo, G. Clentsmith, M. Lutz  
Synthesis and Structure of [Cr{( $\eta^6$ -C<sub>6</sub>H<sub>5</sub>)<sub>2</sub>B{NtBu(SiMe<sub>3</sub>)}}] and [Cr{( $\eta^6$ -C<sub>6</sub>H<sub>5</sub>)<sub>2</sub>(BNMe<sub>2</sub>)<sub>2</sub>]: The First Boron-Bridged Metalloarenophanes  
*Organometallics* **2004**, *23*, 1968–1970.
- [58] H. Braunschweig, F. M. Breitling, U. Englert, C. von Koblinski, A. J. P. White, D. J. Williams  
Synthesis and structure of boron-bridged constrained geometry complexes of titanium  
*J. Chem. Soc., Dalton Trans.* **2004**, 938–943.
- [57] H. Braunschweig  
Borylenes as Ligands to Transition Metals  
*Adv. Organomet. Chem.* **2004**, *51*, 163–192.
- [56] H. Braunschweig, M. Colling, C. Hu, K. Radacki  
Reactivity of the bridged borylene complex [ $\mu$ -BCl{( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>Me)Mn(CO)<sub>2</sub>}<sub>2</sub>]  
*Inorg. Chim. Acta* **2004**, *357*, 1822–1828.

## 2003

- [55] H. Braunschweig, F. M. Breitling, E. Gullo, M. Kraft  
The chemistry of [1]borametallophenanes and related compounds  
*J. Organomet. Chem.* **2003**, *680*, 31–42.
- [54] H. Braunschweig, F. M. Breitling, M. Homberger, C. von Koblinski, A. J. P. White, D. J. Williams



Cyclopentadienyl(diamino)boranes and their Derivatives – a Family of Versatile Ligand Precursors for Constrained Geometry Complexes  
*Z. anorg. allg. Chem.* **2003**, 629, 2244–2250.

- [53] H. Braunschweig, M. Colling, C. Hu  
Unprecedented Reactivity of the Bridged Borylene Complex  
[ $\mu$ -BCl{( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>Me)Mn(CO)<sub>2</sub>}<sub>2</sub>] toward Pyridine  
*Inorg. Chem.* **2003**, 42, 941–943.
- [52] H. Braunschweig, M. Kraft, M. Homberger, F. M. Breitling, A. J. B. White, U. Englert, P. B. Hitchcock  
Synthesis and structures of [Yb{ $\eta^5$ -(C<sub>5</sub>H<sub>4</sub>)B(N<sup>i</sup>Pr<sub>2</sub>)NH<sup>t</sup>Bu}<sub>2</sub>{N(SiMe<sub>3</sub>)<sub>2</sub>}] and [Zr{ $\eta^5$ -(C<sub>9</sub>H<sub>6</sub>)B(N(SiMe<sub>3</sub>)<sub>2</sub>)(C<sub>9</sub>H<sub>7</sub>)}Cl<sub>2</sub>]  
*Appl. Organometal. Chem.* **2003**, 17, 421–428.
- [51] H. Braunschweig, K. W. Klinkhammer, M. Koster, K. Radacki  
Formation, Structure and Reactivity of Boryloxycarbyne Complexes of Group 6 Metals  
*Chem. Eur. J.* **2003**, 9, 1303–1309.
- [50] H. Braunschweig, C. von Koblinski, F. M. Breitling, K. Radacki, C. Hu, L. Wesemann, T. Marx, I. Pantenburg  
Synthesis and structure of [Zr{ $\eta^5$ : $\eta^1$ -C<sub>9</sub>H<sub>6</sub>B(N<sup>i</sup>Pr<sub>2</sub>)NPh}<sub>2</sub>]: a new complex with a boron-bridged amido-indenyl ligand  
*Inorg. Chim. Acta* **2003**, 350, 467–474.
- [49] H. Braunschweig, M. Colling  
The Chemistry of Borylene Complexes  
*Eur. J. Inorg. Chem.* **2003**, 393–403.
- [48] H. Braunschweig, M. Colling, C. Hu, K. Radacki  
[( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(OC)<sub>3</sub>V=B=N(SiMe<sub>3</sub>)<sub>2</sub>]: A Half-Sandwich Complex with a Terminal Borylene Ligand  
*Angew. Chem.* **2003**, 115, 215–218; *Angew. Chem. Int. Ed.* **2003**, 42, 205–208.

## 2002–2000

- [47] H. Braunschweig, M. Colling, C. Kollann, U. Englert  
The first silyl- and germyl boryl complexes: synthesis from novel dichloro(silyl)- and dichloro(germyl)boranes, structure and reactivity  
*J. Chem. Soc., Dalton Trans.* **2002**, 2289–2296.
- [46] H. Braunschweig, M. Koster  
Synthesis and Reactivity of Diborane(4)yl Complexes  
*Z. Naturforsch.* **2002**, 57b, 483–487.
- [45] H. Braunschweig, M. Colling, C. Hu, K. Radacki  
From Classical to Nonclassical Metal–Boron Bonds: Synthesis of a Novel Metallaborane  
*Angew. Chem.* **2002**, 114, 1415–1417; *Angew. Chem. Int. Ed.* **2002**, 41, 1359–1361.
- [44] Berenbaum, H. Braunschweig, R. Dirk, U. Englert, J. C. Green, F. Jäkle, I. Manners  
Synthesis, electronic structure, and novel reactivity of strained, boron-bridged [1]ferrocenophanes  
*ABSTR PAP AM CHEM S 221: 358-INOR Part 1 APR 1, 2001.*
- [43] H. Braunschweig, M. Colling, C. Kollann, K. Merz, K. Radacki  
[(OC)<sub>5</sub>Cr=BSi(SiMe<sub>3</sub>)<sub>3</sub>]: A Terminal Borylene Complex with an Electronically Unsaturated Boron Atom  
*Angew. Chem.* **2001**, 113, 4327–4329; *Angew. Chem. Int. Ed.* **2001**, 40, 4198–4200.
- [42] H. Braunschweig, M. Colling, C. Kollann, H.-G. Stämmler, B. Neumann  
Terminal Borylene Complexes as a Source for the Borylene B–N(SiMe<sub>3</sub>)<sub>2</sub>: Alternative Synthesis and Structure of [(OC)<sub>5</sub>Cr=B=N(SiMe<sub>3</sub>)<sub>2</sub>]  
*Angew. Chem.* **2001**, 113, 2359–2361; *Angew. Chem. Int. Ed.* **2001**, 40, 2298–2300.
- [41] H. Braunschweig in *Inorganic Chemistry Highlights* (Eds.: G. Meyer, D. Naumann, L. Wesemann), Wiley-VCH, Weinheim, New York, **2001**, 213–218.

- [40] H. Braunschweig, M. Colling  
Transition metal complexes of boron – synthesis, structure and reactivity  
*Coord. Chem. Rev.* **2001**, 223, 1–51.
- [39] H. Braunschweig, C. von Koblinski, M. Neugebauer, U. Englert, X. Zheng  
Synthesis and structure of aminobis( $\eta^1$ -cyclopentadienyl)boranes and related compounds  
*J. Organomet. Chem.* **2001**, 619, 305–312.
- [38] H. Braunschweig, C. Von Koblinski, M. O. Kristen  
Metallocenkomplexes suitable as olefin polymerization catalysts  
EP 1140955, **2001**, 27 pp.
- [37] H. Braunschweig, M. Colling  
The Chemistry of Bridged Borylene Complexes  
*J. Organomet. Chem.* **2000**, 614–615, 18–26.
- [36] H. Braunschweig, C. von Koblinski, U. Englert  
Synthesis and structure of the first boron bridged constrained geometry complexes  
*Chem. Commun.* **2000**, 1049–1050.
- [35] H. Braunschweig in *Contemporary Boron Chemistry* (Eds.: M. G. Davidson, A. K. Hughes, T. B. Marder, K. Wade), The Royal Society of Chemistry, Cambridge, **2000**, S. 371–378.
- [34] H. Braunschweig, R. Dirk, U. Englert, A. Berenbaum, J. C. Green, A. J. Lough, I. Manners  
Synthesis, Electronic Structure and Novel Reactivity of Strained Boron-Bridged [1]Ferrocenophanes  
*J. Am. Chem. Soc.* **2000**, 122, 5765–5774.

#### 1999–1990

- [33] H. Braunschweig, C. von Koblinski, M. Mamuti, U. Englert, R. Wang  
Synthesis and Structure of [1]Borametalocenophanes of Titanium, Zirconium, and Hafnium  
*Eur. J. Inorg. Chem.* **1999**, 1899–1904.
- [32] H. Braunschweig, M. Koster  
Diborane(4)yl and bridged borylene complexes from 1,2-dipyrrolidino- and 1,2-dipiperidinodiborane(4) derivatives,  
*J. Organomet. Chem.* **1999**, 588, 231–234.
- [31] H. Braunschweig, C. Kollann  
Reaktionen von  $[(\eta^5\text{-C}_5\text{R}_5)_2\text{WH}_2]$  mit Boranen  
*Z. Naturforsch.* **1999**, 54b, 839–842.
- [30] H. Braunschweig, C. Kollann, M. Koster, U. Englert, M. Müller  
Synthesis and Structure of Trinuclear Boryloxycarbyne Complexes  
*Eur. J. Inorg. Chem.* **1999**, 2277–2281.
- [29] H. Braunschweig, M. Koster, K. W. Klinkhammer  
Unique Rearrangement of an Oxycarbyne Complex: Synthesis and Structure of Novel Diborane(4)yl Complexes  
*Angew. Chem.* **1999**, 111, 2368–2370, *Angew. Chem. Int. Ed.* **1999**, 38, 2229–2231.
- [28] H. Braunschweig, C. Kollann, K. W. Klinkhammer  
Boryl and Bridged Borylene Complexes of Iron and Ruthenium  
*Eur. J. Inorg. Chem.* **1999**, 1523–1529.
- [27] H. Braunschweig, M. Koster, R. Wang  
Diborane(4)yl Complexes of Molybdenum and Ruthenium  
*Inorg. Chem.* **1999**, 38, 415–416.
- [26] H. Braunschweig, C. von Koblinski, R. Wang  
Synthesis and Structure of the First [1]Boratitanocenophanes  
*Eur. J. Inorg. Chem.* **1999**, 69–73.
- [25] H. Braunschweig, C. Kollann, U. Englert  
Synthesis and Structure of the First Terminal Borylene Complexes  
*Angew. Chem.* **1998**, 110, 3355–3357, *Angew. Chem. Int. Ed.* **1998**, 37, 3179–3180.

- [24] H. Braunschweig, C. Kollann, U. Englert  
Boryl- and Bridging Boryleneiron Complexes from Aminodichloroboranes  
*Eur. J. Inorg. Chem.* **1998**, 465–468.
- [23] H. Braunschweig  
Transition Metal Complexes of Boron  
*Angew. Chem.* **1998**, 110, 1882–1898, *Angew. Chem. Int. Ed.* **1998**, 37, 1786–1801.
- [22] H. Braunschweig, C. Kollann, M. Müller  
Synthesis and Structure of the First  $\eta^1$ -Borazine Complexes,  
*Eur. J. Inorg. Chem.* **1998**, 291–293.
- [21] D. P. Gates, R. Rulken, R. Dirk, P. Nguyen, J. K. Pudelski, R. Resendes, H. Braunschweig, I. Manners  
Highly Strained Metallocenophanes: Synthesis and Ring-Opening of Sulfur-, Selenium- and Boron- Bridged [1]Ferrocenophanes  
*Phosphorus, Sulfur, and Silicon, and Related Elements*, **1997**, 124 & 125, 561–565.
- [20] H. Braunschweig in *Advances in Boron Chemistry* (Hrsg.: W. Siebert),  
The Royal Society of Chemistry, Cambridge, **1997**, S. 381–384.
- [19] H. Braunschweig, R. Dirk, M. Müller, P. Nguyen, R. Resendes, D. P. Gates, I. Manners  
Incorporation of a First Row Element into the Bridge of a Strained Metallacene:  
Synthesis of a Boron-Bridged [1]Ferrocenophane  
*Angew. Chem.* **1997**, 109, 2433–2435; *Angew. Chem. Int. Ed.* **1997**, 36, 2338–2340.
- [18] H. Braunschweig, M. Müller  
New Borylene Complexes of the Type  $[\mu\text{-BX}\{\{\eta^5\text{-C}_5\text{H}_4\text{Me}\}\text{Mn}(\text{CO})_2\}_2]$ ; Substitution Reactions  
at the Metal Coordinated Borylene Moiety  
*Chem. Ber.* **1997**, 130, 1295–1298.
- [17] H. Braunschweig, R. Dirk, U. Englert  
Synthesis and Reactions of  $\{o\text{-}[\text{Bis}(\text{dimethylamino})\text{boryl}]\text{methyl}\}\text{phenyl}\}$ diphenylphosphane  
*Z. anorg. allg. Chem.* **1997**, 623, 1093–1097.
- [16] H. Braunschweig, C. Drost, P. B. Hitchcock, M. F. Lappert, L. J.-M. Pierssens  
A Dinuclear Tin(II) Amide, a *meta*-Stannylaminocyclophane and its Orthostannation  
Derivative, a Dimeric Trinuclear Tin(II) Cluster  
*Angew. Chem.* **1997**, 109, 285–288; *Angew. Chem. Int. Ed.* **1997**, 36, 261–263.
- [15] H. Braunschweig, B. Ganter  
Convenient synthesis of  $\text{K}[(\text{C}_5\text{H}_4\text{Me})\text{MnH}(\text{CO})_2]$  and reactions with  $\text{Cl}_2\text{B}[\text{N}(\text{SiMe}_3)_2]$  and  
 $\text{B}_2\text{R}_2\text{Cl}_2$  (R =  $\text{Me}_2\text{N}$ ,  $\text{Me}_3\text{C}$ )  
*J. Organomet. Chem.* **1997**, 545, 163–167.
- [14] H. Braunschweig, R. Dirk, B. Ganter  
 $\{[\text{Bis}(\text{dimethylamino})\text{boryl}]\text{methyl}\}$ dimethylphosphane as ligand in transition metal complexes  
*J. Organomet. Chem.* **1997**, 545, 257–266.
- [13] H. Braunschweig, T. Wagner  
Zur Umsetzung von Bis( $\eta^5$ -cyclopentadienyl)dihydridowolfram mit Halogenboranen  
*Z. Naturforsch.* **1996**, 51b, 1618–1620.
- [12] H. Braunschweig, J. Müller, B. Ganter  
Molecular Structure of  $[\text{CpFe}(\text{CO})_2]_2\text{AlAr}$  (Ar = 2-[(Dimethylamino)-methyl]phenyl): An  
Alanediyl Complex with Two Fe-Al Bonds  
*Inorg. Chem.* **1996**, 35, 7443–7444.2
- [11] H. Braunschweig, B. Ganter, M. Koster, T. Wagner  
Diboran(4)yl Groups as Ligands to Transition Metals  
*Chem. Ber.* **1996**, 129, 1099–1101.
- [10] H. Braunschweig, B. Gerhus, P. B. Hitchcock, M. F. Lappert  
Synthesis and Characterisation of *N,N'*-Disubstituted 1,2-phenylenebis-(amido)tin(II)  
Compounds  
*Z. anorg. allg. Chem.* **1995**, 621, 1922–1928.
- [9] H. Braunschweig, T. Wagner  
Synthesis and Structure of the First Transition Metal Borylene Complexes  
*Angew. Chem.* **1995**, 107, 904–905, *Angew. Chem. Int. Ed.* **1995**, 34, 825–826.

- [8] H. Braunschweig, T. Wagner  
Zur Addition von Alkyldichlorboranen an Bis( $\eta^5$ -cyclopentadienyl)dihydrido-wolfram  
*Chem. Ber.* **1994**, *127*, 1613–1614.
- [7] H. Braunschweig, P. B. Hitchcock, M. F. Lappert, L. J.-M. Pierssens  
Synthese, Strukturen und Reaktionen zweier Bis(diaminostannylene) und eines  
Bis(diaminogermylens) mit zentralem C<sub>6</sub>-Ring  
*Angew. Chem.* **1994**, *106*, 1243–1245; *Angew. Chem. Int. Ed.* **1994**, *33*, 1156–1158.
- [6] H. Braunschweig, T. P. Spaniol, P. Paetzold  
Zur Bildung eines Fe<sub>2</sub>(CO)<sub>6</sub>-Komplexes mit (Boryloxy)allyl-Brücke  
*Chem. Ber.* **1994**, *127*, 91–92.
- [5] H. Braunschweig, P. Paetzold, R. Boese  
Weitere Reaktionen der Iminoborane RB≡NR' mit Neopentylidentantal-Komplexen  
*Chem. Ber.* **1993**, *126*, 1571–1577.
- [4] H. Braunschweig, P. Paetzold, T. P. Spaniol  
Weitere Reaktionen des Amino(imino)borans Me<sub>3</sub>Si(*t*Bu)N=B=N*t*Bu und des  
Alkyliden(amino)borans Me<sub>3</sub>Si(*t*Bu)N=B=CH*t*Bu  
*Chem. Ber.* **1993**, *126*, 1565–1569.
- [3] H. Braunschweig, R. W. Chorley, P. B. Hitchcock, M. F. Lappert  
The First Monomeric Prochiral Tin(II) Complexes Sn[N(SiMe<sub>3</sub>)<sub>2</sub>]X  
[X = C<sub>6</sub>H<sub>2</sub>*t*Bu<sub>2</sub>-2,6-Me-4, **1** or NCMe<sub>2</sub>(CH<sub>2</sub>)<sub>3</sub>CMe<sub>2</sub>, **2**]; the X-Ray Structure of **1** and Oxidative  
Addition Reactions of **2**  
*J. Chem. Soc., Chem. Commun.* **1992**, 1311–1313.
- [2] H. Braunschweig, I. Manners, P. Paetzold  
Die Reaktion von (Butadien)zirconocen mit Iminoboranen  
*Z. Naturforsch.* **1990**, *45b*, 1453–1454.
- [1] H. Braunschweig, P. Paetzold, R. Boese  
[2 + 2]-Cycloaddition von Iminoboranen mit einem Neopentylidentantal-Komplex  
*Chem. Ber.* **1990**, *123*; 485–487.

#### Book reviews

- [1] H. Braunschweig  
*Chemie in unserer Zeit*, **1998**, *32*, XIII.
- [2] H. Braunschweig  
*Chemie in unserer Zeit*, **2000**, *34*, 264.
- [3] H. Braunschweig  
*Nachrichten aus der Chemie*, **2000**, 379.
- [4] H. Braunschweig  
*Nachrichten aus der Chemie*, **2000**, 535.

#### Further publications

Between 03.2001 and 12.2006 125 contributions to „Notizen“ in *Nachrichten aus der Chemie*.